


Combo Peripherals

Expand your horizons with Kouwell

Interface Cards- Combo

4+2 PORTS



KW7002- Kouwell PCI FireWire/USB 2.0 Combo Card

- Chipset: IEEE1394-VIA/USB-NEC
- IEEE 1394a:
 - Two external and one internal ports
 - Compliant with IEEE 1394-1394a (Data Rate 100/200/400 Mbps)
- USB 2.0:
 - Two external and one internal ports
 - Compliant with USB specification Rev 2.0 (Data Rate 1.5/12/480 Mbps)
- Hot swapping & plug'n'play
- Compatible with Windows 98SE, ME, 2000, XP

**DUAL
CARDBUS
SLOT**



KW7003- Kouwell PCI FireWire & PC Card/Cardbus Card

- CardBus- RICOH/IEEE1394-T1
- Dual Cardbus slot
 - Supports PCMCIA 16 bit/Cardbus 32 bit spec. under Windows XP OS
 - Supports standard Cardbus 32 bit spec under Windows 95/98/ME/2000
- Triple external IEEE 1394a ports
 - Compliant with IEEE 1394-1995, 1394a (Data Rate 100/200/400 Mbps)
 - One port in front panel; two ports in rear bracket
- Compatible with Windows 98SE, ME, 2000, XP

**LAPTOP
USERS**



KW7004- Kouwell Cardbus FireWire/USB 2.0 Combo Card

- IEEE 1394a:
 - Two IEEE 1394a ports (one 6 pin and one 4 pin)
 - Compliant with IEEE 1394-1995, 1394a (Data Rate 100/200/400 Mbps)
- USB 2.0:
 - Two USB 2.0 ports
 - Compliant with USB 2.0 (Data Rate 1.5/12/480 Mbps)
- Supports 32 bit CarBus interface
- Compatible with Windows 98SE, ME, 2000, XP

Multifunction Bays & Hubs

**FRONT
BAY**



KW7102- Kouwell 3.5" FireWire/USB 2.0 Combo Hub

- IEEE 1394a:
 - Four external and two internal IEEE 1394a ports
 - Compliant with IEEE 1394-1995, 1394a (DataRate 100/200/400 Mbps)
- USB 2.0:
 - Four external and one internal USB 2.0 ports
 - Compliant with USB 2.0 (Data Rate 1.5/12/480 Mbps)
- Hot-Swapping and Plug'n'Play
- Compatible with Windows 98SE, 2000, ME, XP

Combo Peripherals

Expand your horizons with Kouwell



Multifunction Bays & Hubs (cont.,)

7-in-1



KWF8205- Kouwell 7-in-1 Multifunction 3.5" Bay

- Compliant for internal or external use- Can be installed into a computer drive bay or used externally
- Card Reader:
 - Compliant with USB specification Revision 2.0 (Data Rate 1.5/12/480 Mbps)
 - Supports flash memory card types: CF (Type I & II), MD, SD, MMC, SM, MS, MS Pro
- USB 2.0 Hub:
 - Three downstream ports
- Hot-Swapping and Plug'n'Play
- Compatible with Windows 98SE, ME, 2000, XP

9-in-1



KWF7209- Kouwell 9-in-1 Multifunction 5.25" Bay

- Card Reader:
 - Compliant with USB specification Revision 2.0 (Data Rate 1.5/12/480 Mbps)
 - Supports flash memory card types: CF (Type I & II), MD, SM, SD, MMC, MS, MS Pro
- USB 2.0 Hub:
 - Two USB 2.0 ports at 1.5/12/480 Mbps
- IEEE 1394 Repeater:
 - Two 1394a ports at 100/200/400 Mbps
- Audio Socket:
 - External audio port: MIC/Line In/Line Out
- Compatible with Windows 98SE, ME, 2000, XP

Verbatim is the exclusive distributor of Kouwell products throughout Australia and New Zealand. For more information on these products, visit www.verbatim.com.au



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>