



This camera is weatherproof - so it can be used inside and out. It's infrared - so it can see during the day and at night, and its varifocal - so it can see close up or distance. The focus and zoom controls are located externally for easy adjustment.



Front View



Rear View

Features

- Varifocal 4 to 9 mm lens
- 1/3 inch Sony Super HAD CCD Sensor
- 420 TV Lines

- 125ft. IR view distance
- Built in 48 IR LED
- Exterior adjustments for focus & zoom (no need to remove housing)
- Wall mount only
- Cable management bracket

Specifications

TV System:	NTSC
Image Sensor:	1/3-inch Sony Super HAD CCD sensor
Resolution:	420 Lines
Video Output:	1.0 Vp-p 75 Ohms
Min. Illumination:	1 LUX (0.2 LUX with IR)
Shutter Speed:	1/60~1/100,000 sec. for NTSC
Backlight Compensation:	Auto
White Balance:	Auto
Gamma Correction:	> 0.45
S/N Ration:	Over 50dB at AGC off
Waterproof Rating:	IP55
Power Supply:	DC12V 1 amp
Operating Temperatures:	-4°F ~ 122°F (-20°C + 50°C)
Dimensions:	85mm (diameter) X 124mm (length) [3.35in(D) X 4.9in(L)]
Weight:	680g (1.5 lbs.)

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>