

The powerful SENC DS300-24V is a cordless utility tool designed for a wide variety of screw applications. Professional remodelers, contractors and DIYers will appreciate the convenience of the 3000 rpm collated screw system, which increases productivity by eliminating the need for handling loose screws. The DS300-24V comes with a powerful 24v battery to drive 1 1/4" – 3" screws into even the toughest work surfaces. With the built-in extension you can adjust tool to the proper height to speed productivity and save your back and knees.



Applications:

Ideal for deck builders, floor sheathing, remodelers and high end DIYers.

Features and Benefits:

- 24 Volts of Power
- 3000 RPM high-torque motor drives screws without bogging down
- Drives 1 1/4" – 3" screws, even into hard woods and composites
- Easy depth-of-drive adjustment regulates the precise amount of countersink
- Fast and simple adjustable height extension
- Ergonomically designed to position hands directly over screw for precise straight drives
- Comfortable grip for less exertion
- Reverse switch to back out driven screws
- Trigger lock for continuous work
- Patented clutch design means long-lasting durability
- Fast and easy loading of screws
- Easy bit change – from Phillips® to square
- Super-tough drive bits – the longest lasting bits available
- One-year warranty
- Each kit comes complete with tool, two 24 volt batteries, battery charger, spare drive bits, wrenches, spare non-slip nose pads and rugged carrying case

Screw Type	Average number of screws driven per battery charge
#8 X 2"	450
#8 X 2-1/2"	350
#9 X 3"	250

These are representative averages. Your results may vary based on specific work conditions.



Tool Specifications:

Item Code: 1N0001N
 Battery Voltage: 24 volts
 Battery Ampacity: 2.0 amps
 Battery Recharge Time: One hour
 RPM: 3000
 Weight: 10.8 lbs. (4.9 kg)
 Height: 6 7/8" (175 mm)
 Length: collapsed 31 1/2" (800 mm),
 fully extended 41 1/2" (1054 mm)
 Width: 4" (102 mm)
 Fastener Capacity: 50 screws (one strip)
 Torque Delivered: 70 in-lbs

Fastener Specifications:

Screw Lengths: 1 1/4" – 3" (32 mm – 75 mm)
 Screw Diameters: #6 – #10 (see reverse side for chart)





For additional information on how Senco power fastening systems will save you time, reduce costs and increase quality, call your nearest Authorized Senco Dealer or Distributor listed in the Yellow Pages under "Staples," or call our toll-free Action Line: 1-800-543-4596.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>