

HD 380 pro

Light weight
and comfortable
the ultimate
monitoring headphone

Collapsible high-end
headphone for professional
monitoring use.

The HD 380 pro provides an extended frequency response with increased sound pressure level (up to 110dB) for accurate sound reproduction in all kinds of demanding use. Adding on, its closed circumaural design provides excellent passive attenuation of ambient noise, hence making it ideal for monitoring purposes. Not only that, the light-weight and secure-fit E.A.R design offers a very comfortable listening experience to the sound professional who has to wear them over long durations.



- Extended frequency response for accurate, reliable sound reproduction
- Increased sound pressure level (110dB) to handle demanding use
- Closed circumaural design for excellent passive attenuation of ambient noise (up to 32dB)
- Exceptional comfort for extended listening
- Carrying case included for engineers on the go
- Replaceable single-sided, coiled cable with 3.5mm jack connector and screw type adapter to 1/4"
- Easily replaceable parts for long service life
- Headphone with detachable coiled cable, carrying case, 1/4" jack adapter



Specifications



HD 380 pro Monitoring Headphones (foldable)



Carrying Case



3 coiled cable (attached)
1/4" (6.3 mm) jack adapter

Model	HD 380 pro
EAN No.	40 44155 04258 0
UPC No.	6 15104 16673 8
Cat. No.	502717
Design	foldable high-end headphone
Transducer principle	dynamic, closed
Ear coupling	circumaural
Frequency response	8 – 27,000 Hz
Nominal impedance	54 Ω
Passive noise attenuation	up to 32 dB
THD	< 0.1 % (1 kHz, 100 dB SPL)
SPL (1 kHz, 1 V_{rms})	110 dB
Resonance frequency	90 Hz
Max. power handling capacity	500 mW
Caliper pressure	6 N approx.
Weight (excluding cable)	220 g
Cable length	1 m coiled, extendable up to 3 m
Audio connector	3.5 mm plug, straight (separate 1/4" jack adapter included)
Packaging	
Packaging type	High-value book case type packaging.
Dimensions product packaging (W x H x D)	215.5 x 242.5 x 111 mm
Weight of earphones and packaging	0.963 kg
Dimensions of outer master carton (W x H x D)	607 x 460 x 273 mm
Amount of products per outer master carton	8pcs
Total weight of outer master carton and products	10.01 kg
Languages	English, German, French, Spanish, Italian, Netherlands

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>