To learn more about Samsung WB700, WB210 and PL210 cameras or to find your nearest retailer, please visit: www.samsung.com




Far more beyond your view

Samsung WB700/WB210/PL210



Samsung Electronics Co., Ltd. Head Office (Suwon, Korea) 416, Maetan-3 Dong, Yeongtong-Gu, Suwon City, Gyunggi-Do, 443-742, Korea












Zoom in – and get a great shot

Samsung's cutting-edge long zoom cameras make it simple to take high-quality shots from a long distance away. The new long zoom and wide angle WB700, WB210 and PL210 cameras get you up close and next to the action, capturing moments, images and play-by-plays that once were out of reach. These brainy partners zero in, embrace the wide horizon and focus perfectly to deliver long-range effects. With 24x Smart-Zoom (18x Optical Super-Zoom) and 24mm Ultra Wide Angle Lens, the WB700 is the ideal travel companion, whether you journey near or far. The WB210, with 12x Optical Zoom, 21mm Wide Angle Lens and Smart Touch masterfully blends performance and convenience. Its power-packed features let you control effects while its intuitive interface means you never miss a shot. The stylish PL210 is the slimmest 10x Optical Zoom camera, offering Wide Angle Lens and Dual IS, which automatically adjusts when subjects move. It's the complete grab-and-go camera and a snap to use to capture all the busy action from friends and family.



See beyond the horizon



- $\cdot 18 x$ Optical Zoom Schneider Kreuznach Lens (24 X Smart Zoom)
- · 24mm Wide Angle
- Full Manual Mode (A/S/M)
- ·14.2M 1/2.3" CCD Image Sensor















At the heart of the Samsung WB700 is a large, highly sensitive 14.2M CCD image sensor, which transforms the light captured by the lens into vividly compelling photos, no matter the shooting conditions. The 24mm Ultra Wide 18x Zoom captures objects in a wider shooting range, so your vision is translated, just as you imagined it. Take photos of distant people and landscapes and the results are right before your eyes. The 24x Smart-Zoom (18x Optical Super-Zoom) renders all the details, detail, sharp and rich. And the 3.0" 230K TFT LCD screen offers a wider, crystal-clear image with improved contrast and true-life color. You always get the best view possible. The Samsung WB700 fits everything you always wanted into the frame.



Just point and it shoots



- · 21mm Super Wide Shot Mode
- · 12X Optical Zoom (24mm wide)
- · Smart Touch in 3.5" TSP LCD

Wide & Powerful, the Samsung WB210's 12x Optical Zoomcaptures long-range subjects fast and easily. Choose the21mm Super Wide Shot Mode Lens setting and you canachieve sweeping panoramic and long-distance shots in a snap. Yet the WB210 is still lightweight and compact, soit goes wherever you do. Add the Smart Touch, the vivid 3.5"Touch LCD display and every option is at your fingertips.






Compact and fully packed



- \cdot The Slimmest 10x Zoom Compact Camera
- HD Movie (Zoom Noise Reduction)
- Magic Frame Feature

Ultra slim, the long zoom Samsung PL210 camera packs top performance into an elegantly thin 19.7mm case. The Wide Angle Lens and effective 10x Optical Zoom offer multiple shooting options and compositions with deep perspectives in 14.2MP high-quality images. Even slight movement triggers automatic adjusted focusing from the sophisticated DUAL IS (OIS+ DIS). Simple to use, the PL210's comprehensive features deliver crisp and professional-looking shots.



You want it – you've got it


Get Full Control



Samsung's cameras are specifically designed with powerful and personalized shooting options, such as the Full Manual feature, so advanced users can

get the most out of every shot. Full Manual gives you the ability to take complete control and capture the photos exactly as you want them to be. Aperture Priority and Shutter Priority settings let you experiment with shutter speeds and depth of field, so you can shoot fast-moving images in low light. With Samsung cameras, your creativity counts most.





Control Dial

High-quality movies in the palm of your hand

720p @30fps H.264 Movie



The Samsung camera artfully combines a professional-grade still camera with a compact HD video camera. You get 720p HD quality video at 30

frames per second and recording time 4x longer than MJPEG video. Use the 5x zoom to get up close and vividly personal. The HDMI connector lets you watch HD videos on any HDTV or HD monitor. You give up nothing in video recording, except carrying around that extra camera.



Get zoom without the blur Zoom in and stay sharp

Intelligent Zoom



The automatic Intelligent Zoom feature allows you to zoom in on subjects while still preserving the image's sharpness, details and resolution. You can

select the part of the image you want, and Intelligent Zoom will perfectly frame and render the image without any blurry edges. Now, you no longer need to crop out parts of an image or a blurry background after you zoom in. (Only available for WB210 and PL210 models.)



Edit before you shoot Preview the shot you want

Smart Zoom (x1.3)



The Smart Zoom feature (x1.3) works by letting you crop and edit as you preview any shot. After zooming in, if there's a part of the image you want

to crop at the edge of the frame, or if you want to highlight your subject, use Smart Zoom to compose and sharpen the image and composition. (Only available for WB700 model.)



Invent new looks for your images

Smart Filter 2.0



Samsung camera's Smart Filter lens and color options make special moods easy for still shots and videos. Tilt & Shift Lens Effect adds a miniaturized

look and the Vignetting Effect makes striking compositional contrasts. New special effects include Soft Focus to add an emotional feel, Half-Tone Dot to soften skin tones and Old-Film Effect to set up a retro mood or frame. Color Palette for movies, adds an ultra-vivid vibe. It's now a snap to get creative.



Fingertip control

Smart Touch



Just like apps on a touch-screen smartphone, the Samsung camera integrates easy-to-operate touchscreen menus and functions. The key to great

performance is easy access and control. The Smart Touch feature offers convenience at your fingertips. Touch the icons on display to quickly launch options and applications that can make your images sharper and easier to capture. Tangible, touchable and intuitive, the Samsung camera's modes and functions are made for effortless images capture. (Only available for WB210 model.)



Say goodbye to shaky shots

Dual IS



Don't risk ruining that once-in-a-lifetime memory because of a shaking hand or a camera that's not up to the job. The Dual IS (Image Stabilizer)

feature automatically adjusts to compensate for even the slightest hand or body movements, resulting in steadier photos. What's more, the Dual IS can maximize the stabilizing area while minimizing shaking so you get crisp shots every time—even while you or the subject is on the move. (Only available for WB700 and PL210 models.)



Instable Motion Image without Dual IS

Stable Motion Imag with Dual IS

Magic Frame



The unique Magic Frame feature allows you to create sophisticated images and poster-quality visuals that express your mood and personality.

Just select one of the built-in Magic Frame templates, including Wall Art, Old Film, Ripple, Full Moon, Old Record, Magazine, Holiday, Classic TV and more. Point the camera at the subject you want, match it within the on-screen template and capture. That's it. Your subject now is framed by a special mood and background – like magic.

Edit your own special effects



Faces in true focus

Object Highlight



Samsung camera's new Object Highlight feature manages and adjusts image backgrounds so every face appears crisply front and center. It works just

like a digital single lens reflex camera to put the emphasis on the portrait. Simply synthesize two images to highlight the face you want and let the background remain in soft focus. Object Highlight is the easy way to showcase all your best pals.



This camera knows who you love

Smart Face Recognition



Samsung camera's Smart Face Recognition feature automatically recognizes and adjusts focus and exposure for up to 20 of the faces you shoot most

frequently. It identifies your favorites by creating a face image database. The feature also lets you search your photo album via face images so you don't have to browse through every photo when looking for a shot.





Move with the action Track your shot Put your moves in focus

Face Tracking



When the action begins, or your subject starts moving, it can be hard to keep the camera focused. The Intelligent Object Tracking feature

automatically focuses on an object while it's in motion, letting you easily track what's going on. Even if the subject is constantly moving or off-center in the frame, the object tracking feature ensures complete focus the entire time.



Find every photo Take your photo album with you Find what you want, when you want it

Smart Album



With the convenient Smart Album feature, sorting and organizing photos is a snap. You can set up an album with photos sorted by location, content,

color palette or themes. Smart Album also lets you browse through photos by the month or another timeline. You can also browse photos by type, such as portraits, couples or group shots. In addition, Smart Album automatically organizes images by file type, including still, video or voice/ memo note.



Super sync Instant playback Plug & Play convenience

Built-In S/W Intell-Studio 2.0



The new Samsung camera has a pre-installed software program, the Intell-Studio 2.0, that lets you instantly sync with your PC to upload images

or videos. Now you can play, edit or archive video files and images captured on a camera with ease. Intell-Studio 2 automatically launches as soon as you connect the camera to your PC's USB drive - making all your storage and editing needs so much easier.



Star-studded portraits

Perfect Portrait System



Using the latest technologies, the Samsung camera's Perfect Portrait System combines all the features you need to create unforgettable

portraits. Beauty Shot retouches skin tone and removes flaws on faces, so portraits look bright and perfect. Face Detection automatically detects and adjusts focus and exposure. And the convenient Red-eye Fix feature eliminates these glitches, so you never need to reshoot.










Shoot like a pro

Smart Auto 2.0 (Still & Movie)



Smart Auto 2.0 turns fleeting moments into perfect memories with professional-style results. Whether it's friends at last night's party or moonbeams

reflecting off the water, Smart Auto 2.0 (still and movie) analyzes key elements in the composition and automatically adjusts its 16 photo modes and 4 movie modes to capture the best shot. And since life never stops moving, the camera's Object Tracking feature captures subjects that don't, or won't, stand still.











System Development

Samsung WB700	Samsung WB210	Sar PL2	msung 210
Battery / Charger	Battery / Charger	Bat	ttery / Charger
SLB-11A SLB-11A	DI OSA	MSUNG BP89 TTTT	SAMSUNG . IP-BSA
BC1UA5	BC1UA5	BC1	UA5
Cases	Cases	Cas	ses
CCWB500B	CC9U11B	009	U11B
CC9U11B	CC9U21B/P	cca	U21B/P
Others	Others	Oth	ners
Others CB20A12 (AV Cable)	CB20A12 (AV Cable)		OA12 Cable)
CB20U12 (USB+Charge)	CB20U12 (USB+Charge)	CB2(USE	OU12 3+Charge)
CBHD10D (HDMl Cable)	CBHD10D (HDMI Cable)		
AK11B2G (Accessory Kit)			

Specifications



					Samsung WB700
mage Sensor	Type	1/2.33" (approx 7.76mm) CCD	Date Imprinting		Date&Time, Date, Off (user selectable)
	Effective Pixel	Approx. 14.2 Mega-pixel	Movie Clip	Feature	With Audio or without Audio or ZNR (Zoom Noise
	Total Pixel	Approx. 16.4 Mega-pixel			Reduction) (Max Recording time : 20min)
ens	Focal Length	Schneider-KREUZNACH f = 4.06 ~ 73.08mm			Movie Size: 1280x720(30/15fps) High Quality,
		(35mm film equivalent : 24~432 mm)			1280x720(30/15fps) Standard Quality,
	F No.	F3.2(W) ~ F5.8(T)			640x480(30/15fps), 320x240 (30/15 fps)
	Digital Zoom	Still Image mode			Smart Movie : Landscape, BlueSky, NaturalGreen, Sunset
	ŭ.	- Super resolution: 1.0X~1.5X after optical Zoom			Smart Filter: Miniature, Vignetting, Fish Eye1, DeFog,
		- Extra Zoom: Crop Zoom 1.0X~2.0X (Extra Zoom on)			Sketch Effect, Half tone, Old movie 1, Old movie 2,
		- Digital Zoom: 1.0X ~ 4.0X			Classic, Negative, Retro, Custom RGB, Hollywood1,2,3,4
		: Optical Zoom(X18)> Super resolution(X1.5)> Extra		Effect	Pause during recording, Still Image Capture, Time Trimming
		Zoom(X2) or Digital Zoom(X4)		Movie Editing	Still Image Capture, Time Trimming
		Play mode: 1.0X ~ 12.5X (depends on image size)	Multimedia	MP3	N/A
mage		Dual IS (OIS + DIS)	Function	PMP	N/A
tabilization		* OIS (Optical Image Stabilization),		Text Viewer	N/A
		DIS (Digital Image Stabilization)		World Tour Guide	N/A
Display	Туре	LCD		Additional Function	N/A
-17	Feature	3.0" (7.62cm), QVGA	Storage	Media	External memory: SD Card(up to 4GB guaranteed)
'iewfinder		N/A	o o		SDHC (up to 8GB guaranteed)
ocusing	Туре	TTL auto focus (Center AF, Multi AF, Selection AF, Manual			SDXC (up to 64GB guaranteed)*, supported as a Firmware
Ü	**	Focus, Face Tracking AF, Object Tracking AF)			update on April in 2011.
	Range	Normal : 50cm ~ Infinity (Wide), 2m ~ Infinity (Tele)		File format	Still Image: JPEG, DCF, EXIF 2.21, DPOF 1.1, PictBridge 1.0
	Ü	Macro : 3cm~50cm (Wide), 1.5m ~ 2m (Tele)			Movie Clip: Container: MP4, Video: H.264, Audio: AAC
		Auto Macro : 3cm~Infinity (Wide), 1.5m~ Infinity (Tele)		Image Size	14M: 4320x3240
		Manual : 3cm ~ Infinity (Wide), 1.5m ~ Infinity (Tele)			12M P: 4320x2880
Shutter Speed		Auto: 1/8 ~ 1/2000 sec., Program: 1 ~ 1/2000 sec., M: 16			10M: 3648x2736
		~ 1/2,000 sec. Night: 8 ~ 1/2,000 sec., Fireworks: 4 sec.			10M W: 4320x2432
xposure Control Meterino	Control	Program AE, Shutter AE, Aperture Priority AE or Manual Exposure			8M: 3264 x 2448
	Metering	Multi, Spot, Center Weighted, Face Detection AE			5M: 2592 x 1944 pixels
	Compensation	±2EV (1/3EV steps)			2MW: 1920 x 1080 pixels
	ISO Equivalent	Auto, 80, 100, 200, 400, 800, 1600, 3200			1M: 1024 x 768 pixels
lash	Modes	Auto, Auto & Red-eye reduction, Fill-in flash, Slow sync,	Interface	Remocon	N/A
		Flash Off, Red-eye fix		Digital Output Connector	USB 2.0
	Range	Wide: 0.3m ~ 3.3m, Tele: 0.5m ~ 1.8m (ISO AUTO)		Audio	Microphone : Stereo
		* Flash EVC: ±5EV (1/2 steps)			Internal Speaker: Mono
	Recharging Time	Approx. 4 sec.		Video Output	AV : NTSC, PAL (user selectable)
Sharpness		5 steps (Soft+, Soft, Normal, Vivid, Vivid+)			HDMI 1.3 (CEC): NTSC, PAL (user selectable)
Vhite Balance		Auto WB, Daylight, Cloudy, Fluorescent_H, Fluorescent_L,			(Built-in HDMI Type D)
		Tungsten, Custom, K		DC power input	4.4V
Still Image	Shooting	Mode: Smart Auto, Program, Aperture Priority, Shutter	Power Supply	Power Source	Rechargeable battery: SLB-11A (1,130mAh), 110min
		Speed Priority, Manual, Scene, Movie, Dual IS			Connector Type: 20pin
		• Scene			Adaptor: SAC-48, USB/Charging Cable: CB20U05A,
		: Beauty Shot, Night, Landscape, Text, Sunset, Dawn,			AV Cable : SCC-AV20
		Backlight, Beach & Snow	Physical	Dimension (WxHxD)	99.5x59x21.7(TBD)
		Smart Auto	Specification		
		: Portrait, Night Portrait, Backlight Portrait, Macro	Special Feature		Full Manual Mode (A/S/M Support)
		Portrait, Night, Backlight, Landscape, White,			Movie Recording button
		NaturalGreen, BlueSky, Sunset, Macro, Macro Text(with			Support Raw file format
		Smart Guide), Macro Color, Tripod, Action			Built in HDMI Type D with Anynet+ (CEC) + 20Pin Connector
-		Drive : Single, Continuous, AEB, Motion Capture			Flash Manual Adjustment(Timing, Light Quantity)
		Self-timer : Off, 2 sec., 10 sec., Double			Smart Auto (Still/Movie)
	Effect	Image Adjust :Sharpness, Contrast, Brightness,			Smart Filter 2.0
		Saturation, ACB			Perfect Portrait System
		Smart Filter: Miniature, Vignetting, Fish Eye1, DeFog,			Built-in S/W (intellistudio) - supporting F/W Update
		Sketch Effect, Soft focus, Half tone, Old movie 1, Old			
		movie 2, Classic, Negative, Retro, Custom RGB	Cuebe - D	ui	
	Edit	Image Edit : Resize, Rotate, Trimming	System Req		
		- Const Filter Minister Minister Fish First DeFin	Fex	E	letel Destine 4 0 001 le en leten / AMD Atheles 04D/

Image Play

Voice Recording

Smart Filter: Miniature, Vignetting, Fish Eye1, DeFog,			Built-in S/W (intellistudio) - supporting F/W Update			
Sketch Effect, Soft focus, Half tone, Old movie 1, Old						
movie 2, Classic, Negative, Retro, Custom RGB						
Image Edit : Resize, Rotate, Trimming	System Requirement					
Smart Filter : Miniature, Vignetting, Fish Eye1, DeFog,	For	For Windows	Intel Pentium 4, 3.2GHz or later / AMD Athelon 64FX,			
Sketch Effect, Soft focus, Half tone, Old movie 1, Old	Intello-Studio		2.6GHz or later			
movie 2, Classic, Negative, Retro, Custom RGB			Minimum 512MB RAM (Over 1GB recommended)			
Image Adjust : Face Retouch (Level 1,2,3), Red eye fix,			Windows XP / VISTA / 7			
Snow, Mosaic, Highlight, Brightness, Contrast, Saturation,			250 MB (Over 1GB recommanded)			
Red Eye Fix, ACB, Add Noise			CD-ROM Drive			
Single image, Thumbnails, Smart Album, Advanced Slide			USB 2.0			
show, Movie Clip, Magazine Album			Microsoft 9.0c or later			
Slide show : Slide show with Effect & Music			Over 1024x768 pixels, 16 bit color monitor or later			
- Smart Album Category: Type, Date, Color, Week, Face		For Macintosh	Not support			
(External Memory card is needed for Sorting the photos	For USB	For Windows	Windows 2000/XP/Vista			
by Face)	Connection	For Macintosh	Mac OS X 10.3 or higher			
Container: *.WAV						
Voice Recording (max. 10 hours)						
Voice Memo in Still Image (max. 10 sec.)						
With Stereo Recording						

Specifications



Samsung	WB21	n

					Samsung WB210
mage Sensor	Туре	1/2.3" CCD (Approx. 7.76mm)			(30/15fps)
	Effective Pixel	Approx. 14.0 Mega pixel			* 12X Optical Zoom enable With Audio or without Audio
	Total Pixel	Approx. 16.44 Mega pixel			(Max recording time : 20min), Sound Alive ON/OFF/Mute
Lens	Focal Length	Schneider-KREUZNACH			(Sound Alive ON is default)
	f=4.0~48mm (35mm film equivalent : 24~288mm)		Effect	Smart Filter2.0 : Palette Effect 1, Palette Effect 2, Palette	
	F No.	f=3.5mm (35mm film equivalent : 21mm) F2.9(W)~F5.9(T) (f=4.0~48mm)			Effect 3, Palette Effect 4, Miniature, Vignetting, Half Tone
	FINO.	F3.4(W) (f=3.5mm)			Dot, Sketch, Fish Eye, Defog, Classic, Retro, Negative, Custom RGB
	Digital Zoom	Still Image mode: 1.0X ~ 5.0X		Edit	Pause during recording, Still Image Capture, Time Trimming
	9	Play mode : 1.0X ~ 13.5X (depends on image size)	Storage	Media	Internal memory: 10 MB
mage Stabilization		OIS (Optical Image Stabilization)	- G		External memory : Micro SD Card (up to 2GB guaranteed
Display	Туре	TFT LCD			Micro SDHC (up to 8GB guaranteed)
	Feature	3.5" (8.9cm) Wide 1,152K Full Touch LCD		File Format	DCF, EXIF 2.21, DPOF 1.1, PictBridge 1.0
Viewfinder		N/A			Still Image: JPEG
Focusing	Туре	TTL auto focus(Center AF, Multi AF, One Touch Shooting,			Movie Clip: MP4 (Video: MPEG4.AVC/H.264)
		Smart Touch AF, Face Detection AF, Smart Face Recognition AF)		Image Size	Audio : AAC 14M : 4320×3240
	Range	Normal: 80cm ~ infinity		irriage Size	12M P : 4320x2880
	i idi igo	Macro : 5cm ~ 50cm (Wide), 100cm ~ 200cm (Tele)			10M W : 4224x2432
		Auto Macro: 5cm ~ Infinity (Wide), 100cm ~ Infinity (Tele)			10M: 3648x2736
Shutter Speed	Shutter Speed	Smart Auto: 1/8~1/2000 sec. Program: 1 ~ 1/2,000 sec.			5M: 2592×1944
		Night: 8 ~ 1/2,000 sec. Fireworks: 2 sec.			3M: 1984×1488
Exposure	Control	Program AE			2M W: 1920 ×1080
	Metering	Multi, Spot, Center Weighted, Face Detection AE			1M: 1024x768
	Compensation	±2EV (1/3EV steps)	Interface		USB 2.0, 20 pin connector
Flash	ISO Equivalent Modes	Auto, 80, 100, 200, 400, 800, 1600, 3200(Up to 3M)		Audio	Microphone: Mono Internal Speaker: Mono
FIASII	ivioues	Auto, Auto & Red-eye reduction, Fill-in flash, Slow sync, Flash Off, Red-eye fix		Video Out	AV: NTSC, PAL (user selectable)
	Range	Wide: 0.2m ~ 3.45m, Tele: 1.0m ~ 1.7m (ISO AUTO)		video out	HDMI 1.4: NTSC, PAL (user selectable), HDMI Type D
	Recharging Time	Approx. 4 sec.			* Remarks : HDMI function is available when connected
White Balance	0 0	Auto, Daylight, Cloudy, Fluorescent_H, Fluorescent_L,			through Type D HDMI Cable (optional).
		Tungsten, Custom		DC power input	20pin, 4.2V
Home Screen		1st Page : Easy Shot, Super Wide Shot, Close-up Shot,		Cradle	N/A
		P Mode, Timer Shot, One Touch Shot, Album, Settings	Power Supply	Power Source	Rechargeable battery: BP85A (Min. 850mAh, 3.7V, 3.14Wh
		2nd Page: HD Movie Recording, SD Movie Recording,			Charger: SAC-48(Adaptor), CB20U05B(charge cable)
		Smart Filter, Palette Effect Recording, Magic Frame Shot,			DC power input connector: 20pin
		Object Hightlight, Beauty Shot, Night Shot • 3rd Page: Help, Magazine, Slide Show, Edit, Delete,	Physical	Dimension (M/vHvD)	* Included battery may vary depending on sales region. 100.9 X 59.35 X 22.4mm
		Reset	Specification	Weight	174g (without battery and card)
Still Image	Shooting	Mode : Easy Shot, Super Wide Shot, Close-up Shot, P		Operating Temperature	
		Mode, Timer Shot, One Touch Shot, Smart Filter, Magic		Operationg Humidity	
		Frame Shot, Object Hightlight, Beauty Shot, Night Shot	Software		Intelli-studio(Built-in), Adobe Reader
		* Smart Auto : Landscape, BlueSky, NaturalGreen, Sunset,	Special Feature		- The Slimmest Body with 12X Optical Zoom
		White, Night, Backlight, Portrait, Night Portrait, Backlight			- Home Button / Home Screen
		Portrait, MacroPortrait, Macro, MacroText, MacroColor,			- Extra zoom
		Fireworks, Tripod, Action Continuous: Single, Continuous, Motion Capture, AEB			- Outfocusing Portrait - Dream shot
		Self-timer: Off, 10 sec, 2 sec, Double			Smart Face Recognition
	Effect (Preview)	Image Adjust : Sharpness, Contrast, Saturation			Smart Album
		Smart Filter2.0 : Miniature, Vignetting, Soft Focus,			Perfect portrait system
		Old Film 1, Old Film 2, Half Tone Dot, Sketch, Fish Eye,	System	For Windows	PC with processor better than Pentium IV 3.2 GHz
		Defog, Classic, Retro, Negative, Custom RGB	Requirement		/ AMD Athlon FX 2.6 GHz
	Edit (Playback)	Image Edit : Resize, Rotate, Trimming			Minimum 512MB RAM (Over 1GB recommended)
		Image Adjust: Brightness, Contrast, Saturation, ACB,			Windows XP/ Vista/ 7
		Face Retouch, Red Eye Fix			250MB of available hard-disk space (Over 1GB
		 Smart Filter2.0: Miniature, Vignetting, Soft Focus, Cinema 1, Cinema 2, Half Tone Dot, Sketch, Fish Eye, 			recommend)
		Defog, Classic, Retro, Negative, Custom RGB			USB port CD-ROM drive
lmage Play		Single image, Thumbnails, Advanced Slide show, Movie			nVIDIA Geforce 7600GT or later / Ati X1600 series or later
		Clip, Smart Album			1024×768 pixels, 16-bit color display compatible monitor
		* Slide show : Slide show with Effect & Music			(1280x1024, 32-bit color display recommended)
		* Smart Album Category: Date, Face, Type (External			Microsoft DirectX 9.0c or later
		Memory card is needed for Sorting the photos by Face)		For Macintosh	Power Mac G3 or later
	HDMI (Play)	1080i, 720P, 480P			Mac OS 10.4 or higher
Voice Recording	3	Voice Recording (max. 10 hours)			Minimum 256MB RAM
Data Invested		Voice Memo in Still Image (max. 10 sec.)			110MB of available hard-disk space
Date Imprinting Movie Clip	Popordina	Date&Time, Date, Off (user selectable) • Mode: Easy Shot, HD Movie Recording, SD Movie			USB port CD-ROM drive
viovie Glip	Recording	Mode: Easy Snot, HD Movie Recording, SD Movie Recording, Smart Filter, Palette Effect Recording			OD-I LOW CITY
		* Smart Movie : Landscape, Blue Sky, Natural Green,			
		Sunset, Action			
		• Size : High Quality - 1280x720 (30/15fps)			
		Standard Quality - 640x480(30/15fps) , 320x240			

Specifications



Samsung PI 210

	_	1/2 2// 1			Samsung PL210
Image Sensor	Type	1/2.3" (Approx. 7.76mm) CCD		F#+ /D : \	Setting : OIS On/ Off Setting : OIS On/ Off
	Effective Pixel	Approx. 14.2 Mega pixel		Effect (Preview)	Smart Filter 2.0 : Palette Effect 1, Palette Effect 2, Palette Effect 3, Palette Effect 4, Ministry A Vignotting
	Total Pixel	Approx. 14.5 Mega pixel			Palette Effect 3, Palette Effect 4, Miniature, Vignetting,
Lens	Focal Length	Samsung Lens f = 4.85 ~ 48.5mm			Fish Eye, Defog, Classic, Retro, Negative, Custom RGB
	ENI-	(35mm film equivalent : 27~270 mm)		E-14/DIIII	Setting : OIS On/ Off Page of this area of Plantage Off Union Country
	F No.	F3.3(W) ~ F5.9(T)	01	Edit(Playback)	Pause during Recording and Playing, Still Image Capture
	Digital Zoom	Still Image mode: 1.0X ~ 5.0X (Optical x Digital: 50.0X), Play mode: 1.0X ~ 13.5X (depends on image size)	Storage	Media	External memory: Micro SD Card (up to 4GB guaranteed)
	Intelli Zoom	1.0 ~ 2.0			Micro SDHC (up to 8GB guaranteed)
Imaga	Intelli Zoom	Dual IS (OIS + DIS)		File Format	Internal Memory : 30MB Still Image : JPEG (DCF), EXIF 2.21, DPOF 1.1, PictBridge
Image stabilization		* OIS (Optical Image Stabilization),		rile Format	1.0
Stabilization		DIS (Digital Image Stabilization)			Movie Clip: AVI(MJPEG)
Display	Type	TFT LCD			Audio: WAV
Display	Feature	3.0" (7.62cm) 230K		Image Size	14M : 4320x3240
Viewfinder	reature	N/A		irrage dize	12M P : 4320x2880
Focusing	Type	TTL auto focus (Multi AF, Center AF, Face Detection AF,			10M W : 4320x2432
i oodoli ig	Туро	Object Tracking AF, Smart Face Recognition AF), Movie AF			10M : 3648x2736
		(CAF)			5M : 2592x1944
	Range	Normal: 80cm ~ infinity, 200cm~ Infinity (Tele)			3M: 1984x1488,
	ridiigo	Macro: 5cm~80cm (Wide), 150cm ~ 200cm (Tele)			2MW: 1920×1080
		Auto Macro : 5cm~Infinity (Wide), 150cm~ Infinity (Tele)			1M : 1024x768
Shutter Speed		Smart Auto: 8 ~ 1/2,000 sec., Program: 1 ~ 1/2000 sec.,	Interface	Digital Output Connector	
z.idito. Opoda		Night: 8 ~ 1/2,000 sec.		Audio	Microphone : Mono
Exposure	Control	Program AE			Internal Speaker: Mono
	Metering	Multi, Spot, Center-weighted, Face Detection AE		Video Output	AV: NTSC, PAL (user selectable)
	Compensation	±2EV (1/3EV steps)		DC power input	4.2V
	ISO Equivalent	Auto, 80, 100, 200, 400, 800, 1600, 3200(Full Size)	Power Supply	Power Source	Rechargeable battery : BP85A
Flash	Modes	Flash Off, Auto, Auto & Red-eye reduction, Fill-in flash,	опрыу	21.0. 200.00	Charger: BC1UA5
		Slow sync, Red-eye fix			Connector Type : 20pin
	Range	Wide: 0.3m ~ 3.3m(ISO AUTO), Tele: 0.5m ~ 1.8m (ISO AUTO)			* Included items may vary depending on sales region
	Recharging Time	Approx. 4 sec.	Physical	Dimension (WxHxD)	
Sharpness		Soft+, Soft, Normal, Vivid, Vivid+	Specification	Weight	148g
White Balance		Auto, Daylight, Cloudy, Fluorescent_H, Fluorescent_L,		Operating Temperature	9
		Tungsten, Measure: Shutter		Operationg Humidity	
Still Image	Shooting	Mode : Smart Auto, Program, Dual IS, Scene, Movie	Software	Camera Driver	N/A
Ü	Ü	* Smart Auto :		Application	Intelli-studio
		White, Macro Color, Portrait, Night Portrait, Backlight	Special Feature		- 27mm Wide angle, 10x zoom
		Portrait, Backlight, Landscape, Action, Tripod, Night,			- 14.2Mega Pixels
		Macro, Macro Text(with Smart Guide), BlueSky, Sunset,			- Optical Image Stabilization & Digital Image Stabilization
		NaturalGreen, Fireworks			- 3.0" LCD (230K)
		* Scene			- HD Movie(720p@30fps)
		Magic Frame, Beauty Shot, Portrait Highlight, Night,			- Smart Auto (Still & Movie)
		Landscape, Text, Sunset, Dawn, Backlight, Beach &			- Smart Filter 2.0
		Snow			- Sound Alive
		Drive : Single, Continuous, AEB, Motion Capture			- Smart Face Recognition & Face Tracking
		Self-timer : Off, 2 sec., 10 sec., Double	System	For Windows	Intel Pentium 4, 3.2GHz or higher
	Effect(Preview)	Smart Filter : Miniature, Vignetting, Half Tone Dot,	Requirement		/ AMD Athlon 64FX, 2.6GHz or higher
		Sketch, Fish Eye, Defog, Classic, Retro, Negative,			Windows XP service pack2 / Vista
		Custom RGB			Minimum 512MB RAM (1GB and above recommended)
		Image Adjust : Sharpness, Contrast, Saturation(5 steps)			64MB or greater video card
	Edit (Playback)	Image Edit : Resize, Rotate, Trimming			(nVIDIA Geforce 7600GT or higher / ATI X1600 series or
		Smart Filter : Miniature, Vignetting, Soft Focus, Old			higher recommended)
		film 1, Old film 2, Half Tone Dot, Sketch, Fish Eye, Defog,		For Macintosh	1.8GHz Power Mac G5 or 1.83GHz Intel Core Duo or
		Classic, Retro, Negative, Custom RGB			faster Macintosh computer
		Image Adjust : ACB, Red Eye Fix, Saturation, Face			At least 256MB of RAM
		Retouch, Brightness, Contrast, Add Noise			64MB or greater video card
Image Play	Type	Single image, Thumbnails, Advanced Slide show, Movie			
		Clip, Smart Album			
		* Slide show : Slide show with Effect & Music			
		* Smart Album Category: Type, Date, Color, Week, Face			
Voice Recording	9	Voice Recording (max. 10 hours)			
		Voice Memo in Still Image (max. 10 sec.)			
		Date&Time, Date, Off (user selectable)			
Date Imprinting	Feature	Size : High Quality 1280x720 (30fps & 15fps)			
Date Imprinting Movie Clip	1 Galaio				
	roditiro	- Per one file : Max. 4GB			
	roctoro	Standard Quality 640x480 (30fps & 15fps),			
	reature	Standard Quality 640x480 (30fps & 15fps) , 320x240 (60fps & 30fps & 15fps)			
	readic	Standard Quality 640x480 (30fps & 15fps) , 320x240 (60fps & 30fps & 15fps) • Zoom : Optical 10X (W/ LDC)			
	Totalo	Standard Quality 640x480 (30fps & 15fps) , 320x240 (60fps & 30fps & 15fps) • Zoom : Optical 10X (W/ LDC) • Smart Movie : Landscape, Blue Sky, Natual Green, Sunset			
	Coldio	Standard Quality 640x480 (30fps & 15fps) , 320x240 (60fps & 30fps & 15fps) * Zoom : Optical 10X (W/ LDC) * Smart Movie : Landscape, Blue Sky, Natual Green, Sunset * Due to the noise while optical zooming, user can select			
	Coldio	Standard Quality 640x480 (30fps & 15fps) , 320x240 (60fps & 30fps & 15fps) * Zoom : Optical TOX (W/ LDC) * Smart Movie : Landscape, Blue Sky, Natual Green, Sunset * Due to the noise while optical zooming, user can select to record sound or not. (Voice recording selectable :			
	Catalo	Standard Quality 640x480 (30fps & 15fps) , 320x240 (60fps & 30fps & 15fps) * Zoom : Optical 10X (W/ LDC) * Smart Movie : Landscape, Blue Sky, Natual Green, Sunset * Due to the noise while optical zooming, user can select			

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com