



Commercial Quality

Built tough to stay that way. The No. 1 supplier of commercial coin-operated laundry equipment, Speed Queen continues to lead in customer satisfaction. Speed Queen homestyle washers and dryers feature many of the same rugged, reliable parts found in the coin-operated machines, so they're built to last.

Superior Drying Convenience

- A wide door opening of 2.06 sq. ft. is the industry's largest, offering residents the convenience of easy loading and unloading.
- Door is reversible for installation flexibility. The upfront lint filter is easy to clean and secured.

Drying and Energy Dynamics

- Durable galvanized steel cylinder with extra-large 18 lb capacity. The gentle tumble action minimizes wrinkles.
- Quiet, efficient blower system with superior airflow of 220 cu. ft. per minute for fast drying and lower operating costs.
- Efficient dryer heating with 22,500 Btu (gas models) and 5,350 Watts (electric models).



Attractive Control Panel

- Commercial homestyle electric or gas dryers have attractive styling to match our homestyle washers.

Dryer Specifications

	Electric: LES17 Gas: LGS17
Cylinder Volume - cu. ft. (liters)	7.0 (198)
Width - in (mm)	26 7/8" (683)
Depth - in (mm)	28" (711)
Height* - in (mm)	43" (1092)
Work Surface Height - in (mm)	36" (914)
Weight - lb (kg)	Electric: 130 (59) Gas: 135 (61)
Shipping Weight - lb (kg)	Electric: 140 (64) Gas: 145 (66)
Cycle Time - minutes	45
Motor HP	1/3 HP, 5.5 amps
Cycle/Temperature	Regular/Perm Press Delicate No Heat
Electrical Specifications	Electric: 120/240/60/1-30 amp 120/208/60/1-30 amp Gas: 120/60/1-15 amp
Motor - RPM	60 Hz: 1725
Btu per Hour	22,500 (5670 kcal)
Heating Element	5350 W, 240 V 4750 W, 208 V
Type of Gas (Gas Models Only)	Factory-equipped natural/mixed gas. Convertible to LP gas. **
Utility Connections - in (mm)	Gas: 3/8" NPT (9.5)
Air Outlet Diameter - in (mm)	4" (102)
Exhaust Airflow*** - cfm (liters/sec.)	0.6" W.C.
Agency Approval	Electric: UL Gas: CSA Star
Activation	Push-to-Start
Top and Lid Finish	Powder Paint
Colors	White

* Heights may vary slightly depending on leveling adjustments.

** IMPORTANT: Any product revisions or conversions must be made by the Manufacturer's Authorized Dealers, Distributors, or local service personnel.

*** Measured at point of exit from dryer.

Also available in 50 Hz. Features and certifications may vary by model.

At Speed Queen, we're so confident that our heavy-duty commercial washers and dryers are Commercial Built to Last Longer, that we're offering the following limited warranty to prove it: Through three years† — Any part of the washer, dryer or stack dryer. Through five years† — The washer transmission assembly, base and cabinet assembly including top, lid and door, against rust from inside out. Lifetime† — The stainless steel washtub.

† Parts only. Labor not included. See Speed Queen Warranty Bond for specifics.

Due to continuous product improvements, design and specifications subject to change without notice. The quality management systems at Alliance Laundry Systems manufacturing facilities are registered as ISO 9001:2000 compliant. Features and certifications may vary by model.

©Copyright 2007 Alliance Laundry Systems LLC



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>