

RANGE COMPOSITION

N 900: a range of over 150 models for the professional caterer designed to guarantee the highest level of performance, reliability, energy saving, safety standards and ergonomic operation. These concepts are reflected in the total modularity of the range that ensures innumerable configurations, either free-standing, bridged or cantilever. N900 demonstrates how advanced technology can satisfy the needs of the professional caterer.

The 3 models detailed on this sheet are 2 burners gas boiling tops with 304 AISI stainless steel grids.



200100

N 900

2 BURNERS GAS BOILING TOPS **ZANUSSI** PROFESSIONAL


FUNCTIONAL AND CONSTRUCTION FEATURES

- ◆ Burners with optimized combustion interchangeable on site, flame failure device and protected pilot light:
 - 60 mm burners with continuous power regulation from 1,5 to 6 kW
 - 100 mm burners with continuous power regulation from 2,2 to 10 kW
- ◆ Manual ignition of the top burners.
- ◆ Worktop in 20/10, 304 AISI stainless steel. Front and side panels in 304 AISI stainless steel with Scotch Brite finish.
- ◆ All models have right-angled side edges to allow flush-fitting joins between units, eliminating gaps and possible dirt traps.
- ◆ Grids in AISI 304 stainless steel are washable in a dishwasher.
- ◆ All gas appliances are supplied for use with natural gas, with LPG conversion jets supplied as standard.
- ◆ The special design of the control

knob system guarantees against water infiltration.

- ◆ All models can be easily mounted on open base cupboards, bridging supports or cantilever system.
- ◆ IPX5 water protection.
- ◆ Main connections can be via the rear or the base of the unit.

TECHNICAL DATA			
CHARACTERISTICS	MODELS		
	NCG400 200100	NCG401 200122	NCG401T 200132
Power supply	Gas	Gas	Gas
External dimensions - mm			
width	400	400	400
depth	900	900	900
height	250	250	250
Back burner dimensions - mm	Ø 60	Ø 100	Ø 100
Back burners power - kW	6	10	7.5
Front burners dimension - mm	Ø 60	Ø 100	Ø 100
Front burners power - kW	6	10	7.5
Total Power - kW	12	20	15
Net weight - kg.	43	43	43
Town Gas			●



LEGEND

	NCG400 200100	NCG401 200122	NCG401T 200132
H - Gas connection	1/2"	1/2"	1/2"

OPTIONAL ACCESSORIES

ACCESSORIES	MODELS		
	NCG400 200100	NCG401 200122	NCG401T 200132
2 SIDE COVERING PANELS FOR TOP-D=900MM	206278	206278	206278
CHIMNEY UPSTAND 400MM	206303	206303	206303
FRONTAL HANDRAIL 1200 MM	206191	206191	206191
FRONTAL HANDRAIL 1600 MM	206192	206192	206192
FRONTAL HANDRAIL 400 MM	206166	206166	206166
FRONTAL HANDRAIL 800 MM	206167	206167	206167
JUNCTION SEALING KIT	206086	206086	206086
LARGE HANDRAIL(PORTIONING SHELF)400 MM	206185	206185	206185
LARGE HANDRAIL(PORTIONING SHELF)800 MM	206186	206186	206186
PAIR OF CAST IRON GRIDS	206208	206208	206208
PAIR OF COVERING STRIPS FOR END ELEMENTS	206234	206234	206234
PRESSURE REGULATOR FOR GAS UNITS	927225	927225	927225
S/S GRID FOR DOUBLE BURNER-900 LINE	206298	206298	206298
SIDE HANDRAIL-RIGHT/LEFT HAND	206165	206165	206165
SINGLE BURNER RIBBED PLATE	206172	206172	206172
SINGLE BURNER SMOOTH PLATE	206171	206171	206171
SINGLE BURNER(6KW)RADIANT PLATE-900 LINE	206170	206170	206170
WATER COLUMN EXTENSION FOR 900 LINE	206290	206290	206290
WATER COLUMN WITH SWIVEL ARM	206288	206288	206288



www.zanussiprofessional.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>