

## RANGE COMPOSITION

N 900: a range of over 150 models for the professional caterer designed to guarantee the highest level of performance, reliability, energy saving, safety standards and ergonomic operation. These concepts are reflected in the total modularity of the range that ensures innumerable configurations, either free-standing, bridged or cantilever. N900 demonstrates how advanced technology can satisfy the needs of the professional caterer.

The model detailed on this sheet is a top electric versions ideal for uniform cooking using pots and pans, even large size ones.



200226

# N 900

## ELECTRIC HOBS

## ZANUSSI PROFESSIONAL


## FUNCTIONAL AND CONSTRUCTION FEATURES

- ◆ Worktop in 20/10 stainless steel. Front and side panels in stainless steel with Scotch-Brite finish.
- ◆ This model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.
- ◆ 2 independently controlled cooking zones.
- ◆ Cooking hob in smooth-surfaced carbon steel, guaranteeing temperature uniformity for low temperature cooking, enabling either uniform temperature across the whole hob, 2 different temperature zones on the same hob or heating of only one section of the hob.
- ◆ Removable hob plate.
- ◆ The special design of the control knob system guarantees against water infiltration.
- ◆ Main connections can be via the base or the rear of the unit.
- ◆ This model can be easily mounted

on the refrigerated base, open base cupboards, bridging supports or cantilever systems.

- ◆ IPX5 water protection.

| TECHNICAL DATA                     |                   |
|------------------------------------|-------------------|
| CHARACTERISTICS                    | MODELS            |
|                                    | NTRE400<br>200226 |
| Power supply                       | Electric          |
| External dimensions - mm           |                   |
| width                              | 400               |
| depth                              | 900               |
| height                             | 250               |
| Cooking surface                    |                   |
| type                               | Smooth            |
| material                           | Mild Steel        |
| Thermostatic                       | ●                 |
| Cooking surface dimensions - mm    |                   |
| width                              | 360               |
| depth                              | 715               |
| Working temperature - min/max - °C | 80, 450           |
| Electrical power - kW              | 7                 |
| Net weight - kg.                   | 60                |
| Supply voltage                     | 400 V, 3N, 50/60  |

**LEGEND**

|                           |                                 |
|---------------------------|---------------------------------|
|                           | <b>NTRE400</b><br><b>200226</b> |
| I - Electrical connection | 400 V, 3N, 50/60                |

**OPTIONAL ACCESSORIES**

| ACCESSORIES                              | MODELS                          |
|--|---------------------------------|
|  | <b>NTRE400</b><br><b>200226</b> |
| 2 SIDE COVERING PANELS FOR TOP-D=900MM   | 206278                          |
| CHIMNEY UPSTAND 400MM                    | 206303                          |
| DRAUGHT DIVERTER WITH 120 MM DIAMETER    | 206126                          |
| FLUE CONDENSER FOR 1/2 MOD. DIAM.120MM   | 206155                          |
| FRONTAL HANDRAIL 1200 MM                 | 206191                          |
| FRONTAL HANDRAIL 1600 MM                 | 206192                          |
| FRONTAL HANDRAIL 400 MM                  | 206166                          |
| FRONTAL HANDRAIL 800 MM                  | 206167                          |
| JUNCTION SEALING KIT                     | 206086                          |
| LARGE HANDRAIL(PORTIONING SHELF)400 MM   | 206185                          |
| LARGE HANDRAIL(PORTIONING SHELF)800 MM   | 206186                          |
| PAIR OF COVERING STRIPS FOR END ELEMENTS | 206234                          |
| REAR FLUE UPSTAND FOR SMALL CHIMNEY      | 206159                          |
| SIDE HANDRAIL-RIGHT/LEFT HAND            | 206165                          |
| WATER COLUMN EXTENSION FOR 900 LINE      | 206290                          |
| WATER COLUMN WITH SWIVEL ARM             | 206288                          |


[www.zanussiprofessional.com](http://www.zanussiprofessional.com)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>