



### ZCM641/ZCM640

60cm wide dual fuel cooker with single oven

#### Z

##### Hob Features

- 1 x rapid burner
- 2 x semi-rapid burners
- 1 x simmer burner
- Enamel pan supports

##### Grill Features

- Static grill

##### Main Oven Functions

- Thermaflow® oven
- Defrost

##### Cooker Features

- Rotary minute minder lets you know when your cooking time is up
- Easy clean enamel oven interior
- Interior light
- Air cooled doors reduce outer door temperatures for added safety and comfort
- Storage drawer handy for storing your kitchen utensils

##### Energy

Energy Rating (Top Oven)

**A**

##### Colour

Stainless steel  
White

ZCM641X  
ZCM640W

# SPECIFICATION TABLES



# LAUNDRY

## WASHING MACHINES

MODEL	ZNFI6581W	ZNFI6281W	ZNFI4080W	ZNFI2080W	ZNFI6070W1	ZNFI4070W1	ZNFI2070W1	ZNFI6070W1	ZNFI4070W1	ZNFI2070W1
<b>TECHNOLOGY</b>										
Wash load <sup>6</sup>	kg	7	7	7	7	6	6	6	6	3
Spin speed		1600rpm	1600rpm	1400rpm	1200rpm	1600rpm	1400rpm	1200rpm	1000rpm	1300rpm
LCD/LED display		LCD Display	3 Digit LCD display	LED Indicator	LED Indicator	LED Indicator	LED Indicator	LED Indicator	LED Indicator	LED Indicator
Wash technology		Jetsystem+	Aquacycle	Aquacycle	Aquacycle	Aquacycle	Aquacycle	Aquacycle	Aquacycle	Aquacycle
Water fill		Cold	Cold	Cold	Cold	Cold	Cold	Cold	Cold	Cold
Programme end countdown										
Height	cm	85	85	85	85	85	85	85	85	67
Width	cm	60	60	60	60	60	60	60	60	49.5
Depth	cm	60	60	60	60	59	55.2	55.2	55.2	51.5
Electronic push buttons		7	5	5	5	5	5	5	5	5
Electronic rotary controls		1	1	1	1	1	1	1	1	2
Inverter motor (quiet)		■	■							
<b>PROGRAMMES</b>										
Cottons Jetsystem <sup>1</sup>		■								
Cottons Eco Jetsystem <sup>1</sup>		■								
Cottons Eco Jetsystem <sup>1</sup>		■								
Synthetics Jetsystem <sup>1</sup>		■								
Cottons		■	■	■	■	■	■	■	■	■
Cottons + prewash		■								
Cottons - super quick		■								
Cottons ECO		■	■	■	■	■	■	■	■	■
Synthetics		■	■	■	■	■	■	■	■	■
Synthetics + prewash		■								
Synthetics - super quick		■								
Delicates		■	■	■	■	■	■	■	■	■
Miniprogramme		■	■	■	■	■	■	■	■	■
Duvet		■								
Silk		■	■	■	■	■	■	■	■	■
Hand wash		■	■	■	■	■	■	■	■	■
Wool		■	■	■	■	■	■	■	■	■
Wool & hand wash		■								
Cottons drying		■	■	■	■	■	■	■	■	■
Synthetics drying		■	■	■	■	■	■	■	■	■
Easy iron		■	■	■	■	■	■	■	■	■
Others		Spin, Drain, Rinse	Spin, Drain, Rinse	Spin, Drain, Rinse	Spin, Drain, Rinse	Spin, Drain, Rinse	Spin, Drain, Rinse	Spin, Drain, Rinse	Spin, Drain, Rinse	Spin, Drain, Rinse
<b>OPTIONS</b>										
Auto half load		■	■							
Auto half load with manual over ride				■	■	■	■	■	■	
Soil level		■								
Quick			■	■	■	■	■	■	■	■
Intensive			■	■	■	■	■	■	■	■
Prewash			■	■	■	■	■	■	■	■
Delay start		up to 20h	up to 20h	3/6/9h	3/6/9h	3/6/9h	3/6/9h	3/6/9h	3/6/9h	2/4/8h
Night cycle		■	■	■	■	■	■	■	■	■
Extra rinse		■								■
Easy iron		■								
<b>FEATURES</b>										
Variable spin		■	■	■	■	■	■	■	■	■
Variable temperature		■	■	■	■	■	■	■	■	■
Large porthole		■	■	■	■	■	■	■	■	■
<b>PERFORMANCE</b>										
Energy class <sup>1</sup>		A+	A+	A+	A+	A	A	A	A	A
Energy consumption <sup>2</sup>	kWh	1.19	1.19	1.19	1.19	1.02	1.02	1.02	1.02	0.57
Annual energy consumption	kWh	238	238	238	238	204	204	204	204	114
Wash performance <sup>3</sup>		A	A	A	A	A	A	A	A	B
Spin dry performance <sup>4</sup>		A	A	B	B	A	B	B	C	B
Water after spin <sup>5</sup>	%	44	44	53	53	44	52	53	60	59
Water consumption <sup>6</sup>	litres	45	57	59	59	54	54	54	54	39
Annual water consumption <sup>7</sup>	litres	10400	11400	11800	11800	10800	10800	10800	10800	7800
Programme time <sup>8</sup>	mins	119	155	155	155	155	155	155	155	131
<b>COLOUR</b>										
White		■	■	■	■	■	■	■	■	■

1) On a scale from A (most efficient) to G (least efficient).  
 2) kWh per cycle based on a standard test results for a standard 60°C cotton cycle. Actual energy consumption will depend on how the appliance is used and where it is located.  
 3) On a scale from A (cleanest) to G (dirtiest).  
 4) On a scale from A (driest) to G (wettest).  
 NB: If you use a tumble dryer, choosing a washing machine with A-rated spin instead of one with G-rated spin will half your tumble drying costs. Tumble drying clothes usually uses more energy than washing them.  
 5) As proportion of the dry weight of wash.  
 6) Performance within this table are based upon standard tests for the capacities stated above on a 60°C wash cycle.  
 7) Based upon an average 200 annual wash cycles for a standard 60°C cotton wash cycle.  
 8) Based upon an average 200 annual wash cycles per year without using the dryer.

# LAUNDRY

## WASHER DRYERS

MODEL	ZNDI4581W1	ZNDI6270W1	ZNDI4270W1	ZNDI2270W1
<b>TECHNOLOGY</b>				
Wash load	kg	7	6	6
Spin speed		1400rpm	1600rpm	1400rpm
LCD/LED display		LCD display	3 digit LCD display	3 digit LCD display
Wash technology		Jetsystem+	Aquacycle	Aquacycle
Water fill		Cold	Cold	Cold
Programme end countdown				
Height	cm	85	85	85
Width	cm	60	60	60
Depth	cm	60	60	60
Electronic push buttons		7	5	5
Electronic rotary controls		1	1	1
Inverter motor (quiet)		■		
<b>PROGRAMMES</b>				
Cottons Jetsystem <sup>1</sup>		■		
Cottons Eco Jetsystem <sup>1</sup>		■		
Synthetics Jetsystem <sup>1</sup>		■		
Cottons		■	■	■
Cottons + prewash		■		
Cottons - super quick		■		
Cottons ECO		■	■	■
Synthetics		■	■	■
Synthetics + prewash		■		
Synthetics - super quick		■		
Delicates		■	■	■
Miniprogramme		■	■	■
Duvet		■		
Silk		■	■	■
Hand wash		■	■	■
Wool		■	■	■
Wool & hand wash		■		
Cottons drying		■	■	■
Synthetics drying		■	■	■
Easy iron		■	■	■
Others		Spin, Drain, Rinse	Spin, Drain, Rinse	Spin, Drain, Rinse
<b>OPTIONS</b>				
Auto half load		■	■	■
Dryness		■		
Drying time		■	■	■
Quick			■	■
Intensive			■	■
Prewash			■	■
Delay start		up to 20h		
Night cycle		■	■	■
Extra rinse		■		
Easy iron		■		
<b>FEATURES</b>				
Variable spin		■	■	■
Variable temperature		■	■	■
Large porthole		■	■	■
<b>PERFORMANCE</b>				
Wash & dry load		5	4	4
Energy class <sup>1</sup>		C	B	C
Energy consumption <sup>2</sup>	kWh	1.19	1.02	1.02
Energy consumption <sup>2</sup>	kWh wash & dry	5.9	4.85	5.3
Annual energy consumption	kWh wash	238	204	204
Annual energy consumption	kWh wash & dry	1180	970	1060
Wash performance <sup>3</sup>		A	A	A
Spin dry performance <sup>4</sup>		B	A	B
Water after spin <sup>5</sup>	%	52	44	52
Water consumption <sup>6</sup>	litres wash	52	54	54
Water consumption <sup>6</sup>	litres wash & dry	108	95	98
Annual water consumption <sup>7</sup>	litres wash	10400	10800	10800
Annual water consumption <sup>7</sup>	litres wash & dry	21600	19000	19600
Programme time	mins wash & dry	305	315	325
<b>COLOUR</b>				
White		■	■	■

1) On a scale from A (most efficient) to G (least efficient).  
 2) kWh per cycle based on a standard test results for a standard 60°C cotton cycle. Actual energy consumption will depend on how the appliance is used and where it is located.  
 3) On a scale from A (cleanest) to G (dirtiest).  
 4) On a scale from A (driest) to G (wettest).  
 NB: If you use a tumble dryer, choosing a washing machine with A-rated spin instead of one with G-rated spin will half your tumble drying costs. Tumble drying clothes usually uses more energy than washing them.  
 5) As proportion of the dry weight of wash.  
 6) Performance within this table are based upon standard tests for the capacities stated above on a 60°C wash cycle.  
 7) Based upon an average 200 annual wash cycles for a standard 60°C cotton wash cycle always using the dryer.  
 8) Based upon an average 200 annual wash cycles per year without using the dryer.

## LAUNDRY

### TUMBLE DRYERS

MODEL	ZDC67550W	ZDC47100W	ZDC37100W	TC180W	ZDE57140W	ZDE26000W
<b>TECHNOLOGY</b>						
Capacity <sup>3</sup>	kg	7	7	3.4	7	6
LCD/LED display		LED Indicators	LED Indicators	LED Indicators	LED Indicators	LED Indicators
Drying technology		condense electronic	condense electronic	compact condense	vented electronic	vented
Programme end countdown		■				
Height	cm	85	85	68.6	85	85
Width	cm	60	60	59.5	60	60
Depth	cm	58	58	42	58	58
Electronic push buttons		6	3		4	2
Electronic rotary controls		1	1	1	1	1
<b>PROGRAMMES</b>						
Extra cottons		■	■		■	
Intensive cottons		■			■	
Cupboard cottons		■	■		■	
Damp cottons		■			■	
Iron cottons		■			■	
Machine cottons					■	
Extra synthetics		■	■		■	
Cupboard synthetics		■	■		■	
Iron synthetics		■			■	
Easy iron		■	■		■	
Wool			■		■	
Jeans		■			■	
Mixed		■			■	
Time		■	■	■	■	■
Gentle					■	
<b>OPTIONS</b>						
Dryness		■			■	
Delicate		■	■		■	■
Buzzer		■			■	
Time		■			■	
Textile			■		■	
Quick					■	
Delay start		■				
<b>FEATURES</b>						
Reverse tumble		■	■	■	■	■
Auto cool-down & cool tumble		■	■		■	■
Large porthole		■	■		■	
Large opening angle		■	■		■	
Condensed water capacity	litres	3.6	3.6	2.5		
Water container full indicator		■	■	■		
Water tank position		high	low	bottom left		
<b>PERFORMANCE</b>						
Energy class <sup>1</sup>		B	C	C	C	C
Energy consumption <sup>2</sup>	kWh/cycle	3.92	3.7	3.7	2.47	3.3
Annual energy consumption <sup>4</sup>	kWh	278.5	300	300	380	258.8
Drying times	mins	130	115	115	100	105
<b>COLOUR</b>						
White		■	■	■	■	■

1) On a scale from A (most efficient) to G (least efficient).  
 2) kWh per cycle performances based on corresponding capacities within this table.  
 3) Performances in this table are based upon the standard tests for the capacities stated above.  
 4) Based on 220 cycles per annum.

## DISHWASHING

### DISHWASHERS

MODEL	ZDF601	ZDF511	ZDF231	ZDF131	ZDS231	ZSF2420	ZSF2440
	Timeline 60cm width dishwasher	Progress 60cm width dishwasher	Essential 60cm width dishwasher	Essential 60cm width dishwasher	Progress 45cm width dishwasher	Progress Compact dishwasher	Progress Compact dishwasher
<b>PRODUCT DIMENSIONS</b>							
Product width	mm	600	600	600	450	545	545
Product height	mm	850	850	850	850	447	447
Product depth	mm	600	610	610	610	480	480
Net weight	Kg	45.0	40.5	40.5	40.5	36.0	20.7
Height adjustable feet	mm	Adj 0 to 1cm	Adj 0 to 1cm	Adj 0 to 1cm	Adj 0 to 1cm	Adj 0 to 3cm	
Packaged width	Kg	650	635	635	635	500	605
Packaged height	mm	910	902	902	902	910	505
Packaged depth	mm	680	680	680	680	680	595
Gross weight	Kg	46.5	42.0	42.0	42.0	37.5	22.3
<b>PROGRAMMES</b>							
No. of programmes		5	5	5	4	5	5
No. of temperatures		3	3	3	2	4	4
Bio/Eco		■	■	■	■	■	■
Normal				■	■	■	■
Intensive/Superwash		■	■	■	■	■	■
Quick wash (eat-load-run)		■	■	■	■	■	■
Rinse & hold		■	■	■	■	■	■
Automatic wash		■	■				
<b>FEATURES</b>							
Type of controls		Electronic Push Button	Electronic Push Button	Electronic Rotary Control	Electronic Rotary Control	Electronic Rotary Control	Electronic Push Button
Heating element	Visible/Hidden	Hidden	Hidden	Hidden	Hidden	Hidden	Hidden
Flood protection		■	■	■	■	■	■
Salt refill indicator		■	■	■	■	■	■
Rinse aid indicator		■	■	■	■	■	■
Delay timer		■	■	■	■	■	■
3 digit display		■	■				
Folding supports for lower basket		■	■			Fixed plate racks	
Quick lift		■	■				
Drying type		Active Drying	Active Drying	Active Drying	Active Drying	Residual Drying	Residual Drying
Adjustable water softener		■	■	■	■	■	■
<b>DECLARATION DETAILS</b>							
Specific to programme		Bio 50 with pre-rinse	Bio 50 with pre-rinse	Bio 50 with pre-rinse	Bio 50 with pre-rinse	Bio 50 with pre-rinse	Eco 55 Eco 55
IEC place settings	12	12	12	12	9	6	6
Water consumption	litres	15	15	18	18	13	9
Energy consumption*	kWh	1.05	1.05	1.05	1.05	0.80	0.63
Programme time***	minutes	150	150	140	140	130	159
Noise level decibel rating	dBA	44	44	51	51	51	48
Water fill		Cold fill only	Cold or Hot	Cold or Hot	Cold fill only	Cold fill only	Cold or Hot
Energy rating**		A	A	A	A	A	A
Wash performance**		A	A	A	A	A	A
Drying performance**		A	A	A	A	B	B
<b>COLOUR</b>							
White		■	■	■	■	■	
Silver		■	■	■	■		■
Black		■					

\* Energy consumption is stated in kWh per standard test cycle, using cold water fill. Actual consumption will depend on how the appliance is used.  
 \*\* Models with an 'A' rated classification offer a higher performance than those with a 'G' rating.  
 \*\*\* Time taken for a standard test cycle, using cold water fill.

## COOLING

### FRIDGE FREEZERS

MODEL	ZNB263W	ZNB243W/S	ZNB23W/S	ZNB225W/S	ZNB2725W	ZNB262S	ZNB2630W
<b>FRIDGE FEATURES</b>							
Door hinging	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible
Height	2010	1850	1750	1860	1720	1650	1650
Width	595	595	595	550	550	550	550
Depth	632	632	632	625	625	625	625
Gross capacity fridge	litres/cu.ft 291/10.28	249/8.8	226/7.98	166/5.87	135/4.77	170/6.00	170/6.00
Net capacity fridge	litres/cu.ft 285/10.07	245/8.7	223/7.88	165/5.83	134/4.73	165/5.83	165/5.83
Gross capacity freezer	litres/cu.ft 91/3.21	91/3.21	91/3.21	121/4.28	121/4.28	90/3.18	90/3.18
Net capacity freezer	litres/cu.ft 78/2.75	78/2.75	78/2.75	90/3.18	90/3.18	67/2.37	67/2.37
Energy label*	A	A	A	A	A	A	A
Energy consumption per day	kWh 1.03	0.98	0.95	0.96	0.92	0.88	0.88
Yearly energy consumption**	kWh 374	357	347	350	334	321	321
Climate class***	SN-N-ST	SN-N-ST	SN-N-ST	SN-N-ST	SN-N-ST	SN-N-ST	SN-N-ST
Frost free	■	■	■	■	■	■	■
Fridge defrost function	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Freezer defrost function	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Power indicator				Green lamp	Green lamp	Green lamp	Green lamp
Fan cooling system				■	■	■	■
<b>INTERIOR FRIDGE FEATURES</b>							
Glass shelves	4	4	3	3	2	3	3
Wine rack	■	■	■				
Adjustable shelves	■	■	■	■	■	■	■
2 half width drawers	■	■	■	■	■	■	■
Interior lights	Bulb	Bulb	Bulb	Bulb	Bulb	Bulb	Bulb
<b>FRIDGE DOOR FEATURES</b>							
Full width dairy compartment	1	1	1	1	1	1	1
Number of door shelves	2	1	2	1	1	1	1
Full width bottle shelf	■	■	■	■	■	■	■
Number and type of egg trays	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs
Butter dish	■	■	■				
<b>FREEZER FEATURES</b>							
Freezer drawers	3	3	3	4	4	3	3
Ice cube tray	1	1	1	1	1	1	1
<b>COLOUR</b>							
White	■	■	■	■	■		■
Silver		■	■	■		■	■
Stainless steel							■

\* Energy efficiency class based on a scale of A+ (most efficient) to G (least efficient).

\*\* Based on standard test results for 24 hours in accordance with EN153. Actual consumption will depend on how the appliance is used and where it is located.

\*\*\* Climate class - the product is suitable for use in ambient temperatures of SN:10-32°C, N:16-32°C, ST:18-38°C, T:18-43°C

## COOLING

### FRIDGE FREEZERS

MODEL	ZNB2625W	ZNB251W/S	ZNB23W	ZNB183W	ZNB1210W/X
<b>FRIDGE FEATURES</b>					
Door hinging	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible	
Height	1630	1660	1404	1209	850
Width	550	500	545	496	895
Depth	625	600	604	604	600
Gross capacity fridge	litres/cu.ft 167/5.90	149/5.27	190/6.71	138/4.88	130/4.59
Net capacity fridge	litres/cu.ft 165/5.83	145/5.12	186/6.57	136/4.81	128/4.52
Gross capacity freezer	litres/cu.ft 110/3.88	104/3.67	44/1.55	42/1.48	83/2.93
Net capacity freezer	litres/cu.ft 90/3.18	85/3.00	44/1.55	42/1.48	52/1.84
Energy label*	A	A	A	A	B
Energy consumption per day	kWh 0.87	0.84	0.78	0.72	0.98
Yearly energy consumption**	kWh 319	306	285	263	358
Climate class***	SN	SN	SN-N-ST	SN-N-ST	SN-N-ST
Fridge defrost function	Automatic	Automatic	Automatic	Automatic	Automatic
Freezer defrost function	Manual	Manual	Manual	Manual	Manual
<b>INTERIOR FRIDGE FEATURES</b>					
Glass shelves	3	3	4	3	4
Adjustable shelves	■	■	■	■	■
2 half width drawers	■	■			
Full width drawer			■	■	■
Interior lights	Bulb	Bulb	Bulb	Bulb	Bulb
<b>FRIDGE DOOR FEATURES</b>					
Full width dairy compartment	1	1	1	1	1
Number of door shelves	1	1	1	1	1
Full width bottle shelf	1	1	1	1	1
Number and type of egg trays	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs
Butter dish			■		
<b>FREEZER FEATURES</b>					
Freezer drawers	4	4	1 wire shelf	1 wire shelf	3
Ice cube tray	1	2	1	1	1
Ice scraper		■	■	■	■
Defrosting spout		■	■	■	■
<b>COLOUR</b>					
White	■	■	■	■	■
Silver		■			
Stainless steel					■

\* Energy efficiency class based on a scale of A+ (most efficient) to G (least efficient).

\*\* Based on standard test results for 24 hours in accordance with EN153. Actual consumption will depend on how the appliance is used and where it is located.

\*\*\* Climate class - the product is suitable for use in ambient temperatures of SN:10-32°C, N:16-32°C, ST:18-38°C, T:18-43°C

## COOLING

MODEL	FREEZERS				
	ZF1325W	ZT1125W	ZUF105W	ZT113W/S	ZUC053W
<b>FRIDGE FEATURES</b>					
Door hinging	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible
Height	mm 1450	850	850	850	520
Width	mm 600	595	595	550	525
Depth	mm 600	635	635	612	587
Frost Free			■		
Fast Freeze	■	■	■	■	
High temperature indicator	■	■	■	■	
Power indicator	Green lamp	Green lamp	Green lamp	Green lamp	
Energy consumption per day	kWh 0.73	0.58	0.58	0.56	0.48
Yearly energy consumption**	kWh 266	211	210	204	175
Energy label*	A	A	A	A	A
Climate class***	SN	SN-N-ST	SN-N-ST-T	SN-N-ST-T	SN-N-ST
Gross capacity freezer	litres/cu.ft 243/8.59	115/4.06	100/3.53	115/4.06	50/1.77
Net capacity freezer	litres/cu.ft 205/7.24	98/3.46	80/2.82	100/3.53	50/1.77
<b>FREEZER FEATURES</b>					
Freezer drawers/compartments	6	4	4	4	1 wire shelf
Ice tray	1	1	1		1
Ice scraper		■		■	■
<b>COLOUR</b>					
White	■	■	■	■	■
Silver				■	
Stainless steel					

\* Energy efficiency class based on a scale of A+ (most efficient) to G (least efficient).

\*\* Based on standard test results for 24 hours in accordance with EN153. Actual consumption will depend on how the appliance is used and where it is located.

\*\*\* Climate class - the product is suitable for use in ambient temperatures of SN:10-32°C, N:16-32°C, ST:18-38°C, T:18-43°C

## COOLING

MODEL	REFRIGERATORS						
	ZR1328W	ZR1243W	ZR1175W	ZR1155W	ZR1163W/S	ZR1143W	ZR1077W
<b>FRIDGE FEATURES</b>							
Door hinging	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible
Height	mm 1450	1250	850	850	850	850	520
Width	mm 600	550	595	595	550	550	525
Depth	mm 600	612	635	635	612	612	587
Power indicator	Green lamp						
Energy consumption per day	kWh 0.46	0.75	0.42	0.64	0.42	0.64	0.29
Yearly energy consumption**	kWh 168	274	154	233	154	234	109
Energy label*	A	A	A	A	A	A	A+
Climate class***	SN	SN-N-ST	SN-N-ST	SN-N-ST-T	SN-N-ST	SN-N-ST	SN-N-ST
Gross capacity fridge	litres/cu.ft 284/10.04	237/8.37	155/5.47	125/4.4	155/5.47	128/4.52	65/2.3
Net capacity fridge	litres/cu.ft 275/9/7.1	213/7.52	152/5.37	119/4.2	152/5.37	122/4.31	62/2.19
Net capacity star compartment	litres/cu.ft	18/0.64		18/0.63		18/0.63	5/0.17
<b>INTERIOR FRIDGE FEATURES</b>							
Extra large salad drawer	2 half width	1	1	1	1	1	
Adjustable glass shelf with trim	5	3	2	1	2	1	1 wire shelf
Type of star compartment		4*		4*		4*	2*
Butter dish	■	■	■	■	■	■	
Other refrigerator features		Ice cube tray & Ice scraper				Ice cube tray	Ice cube tray
Bottle grip	■	■	■	■	■	■	■
Interior light	Bulb	Bulb	Bulb	Bulb	Bulb	Bulb	Bulb
<b>FRIDGE DOOR FEATURES</b>							
Full width dairy compartment	1	1	1	1	1	1	
Door shelves	3	2	1	1	1	1	2 half width
Number and type of egg trays	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	
Bottle shelves	1	1	1	1	1	1	1
<b>COLOUR</b>							
White	■	■	■	■	■	■	■
Silver					■		
Stainless steel							

\* Energy efficiency class based on a scale of A+ (most efficient) to G (least efficient).

\*\* Based on standard test results for 24 hours in accordance with EN153. Actual consumption will depend on how the appliance is used and where it is located.

\*\*\* Climate class - the product is suitable for use in ambient temperatures of SN:10-32°C, N:16-32°C, ST:18-38°C, T:18-43°C

## COOLING

### CHEST FREEZERS

MODEL	ZFC6B21WA	ZFC6B26WB	ZFC6B21WB	ZFC6B3C
Range	Chest	Chest	Chest	Chest
Height	mm	876	868	868
Width	mm	1050	935	795
Depth	mm	665	665	665
Suitable for outbuilding	■	■	■	
Freezing capacity	kg/24hr	24	16	14
Energy consumption per day	kWh	0.581	0.879	0.781
Yearly energy consumption**	kWh	212	321	285
Control position	Thermostat control knob on side	Thermostat control knob on side	Thermostat control knob on side	
Energy label*	A+	B	B	C <sup>1</sup>
Climate class**	SN-N-ST	SN-N-ST-T	SN-N-ST-T	SN
Gross capacity freezer	litres/cu.ft	221/7.81	263/9.29	213/7.5
Net capacity freezer	litres/cu.ft	216/7.63	260/9.18	210/7.4
<b>FREEZER FEATURES</b>				
Freezer baskets	1	2	1	1
Interior light	■	■	■	
Vacuum release valve	■	■	■	
Wheels	■	Fixed Feet	Fixed Feet	Fixed Feet
<b>COLOUR</b>				
White	■	■	■	■

\*This model will be upgraded to a 'B' rated appliance in July 2008

\*\* Energy efficiency class based on a scale of A+ (most efficient) to G (least efficient).

\*\* Based on standard test results for 24 hours in accordance with EN153. Actual consumption will depend on how the appliance is used and where it is located.

\*\*\* Climate class - the product is suitable for use in ambient temperatures of SN:10-32°C, N:16-32°C, ST:18-38°C, T:18-43°C

## COOKING

### ELECTRIC COOKERS

MODEL	ZK16B50W/K	ZK16B40W/S/K	ZK16B20W/S/K	ZK16B540W/S/K	ZK16B40W/ZC6B41X	ZK16B30W/1/ST/1/ST1	ZK16B20W/1/ST/1/ST1	ZK16B10W/1/ST1
<b>DIMENSIONS</b>								
Width	cm	60	60	60	60	50	50	50
Height	cm	90	90	90	90	90	90	90
Depth	cm	60	60	60	60	60	60	60
<b>HOB</b>								
Type	Ceramic	Ceramic	Ceramic	Ceramic	Solid plate	Ceramic	Ceramic	Solid plate
Hot hob indicator	■	■				■		
<b>COOKING ZONES</b>								
Rear left	140mm /1.2kW(RPZ)	140mm /1.2kW(RPZ)	140mm /1.2kW	140mm /1.2kW	1 x 1.0kW	140mm /1.2kW	140mm /1.2kW	1 x 1.5kW
Rear right	180mm /1.8kW(RPZ)	180mm /1.8kW(RPZ)	180mm /1.7kW	180mm /1.7kW	1 x 1.5kW	180mm /1.8kW	180mm /1.8kW	1 x 1.5kW
Front left	180mm /1.8kW(RPZ)	180mm /1.7/0.7kW (dual)(RPZ)	180mm /1.7kW	180mm /1.7kW	1 x 2.0kW	180mm /1.8kW	180mm /1.8kW	1 x 1.5kW
Front right	140mm /1.2kW(RPZ)	140mm /1.2kW(RPZ)	140mm /1.2kW	140mm /1.2kW	1 x 1.5kW	140mm /1.2kW	140mm /1.2kW	1 x 2.0kW
<b>PROGRAMMER</b>								
Automatic fully programmable	■	■	■	■		■		
Electronic clock/minute minder with end cook								
Rotary minute minder					■			
<b>TOP CAVITY/OVEN</b>								
Grill type	Intelligent Variable	Variable	Variable	Variable		Fixed (3 positions)	Variable	Variable
Conventional cooking	■	■	■	■		■	■	■
Oven lining	Catalytic	Catalytic	Enamel	Enamel		Enamel	Enamel	Enamel
Viewing window	■	■	■	■		■	■	■
Useable volume	37	37	37	37		26	26	26
Oven light	■	■						
<b>MAIN OVEN</b>								
Grill type					Fixed			
Thermaflow®	■	■	■	■		■	■	■
Defrost	■	■	■	■		■	■	■
Heat and hold	■							
Quick preheating	■							
Top heat	■							
Bottom heat	■							
Oven light	■	■	■	■	■	■	■	■
Oven lining	Catalytic	Catalytic	Enamel	Catalytic	Enamel	Enamel	Enamel	Enamel
Viewing window	■	■	■	■	■	■	■	■
Useable volume***	litres	58	58	58	58/53	53	72	72
<b>STORAGE</b>								
Compartment						■		
Drawer								
<b>ENERGY RATING</b>								
Top oven*	A	A	A	A		B		
Main oven*	B	A	A	A	A	A	A	A
<b>COLOUR</b>								
White	■	■	■	■	■	■	■	■
Black								
Brown								
Silver		■	■	■		■	■	■
Stainless steel	■	■	■	■	■	■	■	■

\* Energy efficiency class on a scale of A (more efficient) to G (less efficient).

\*\* Energy consumption in kWh for the heating functions based on standard load determined in accordance with the test procedures of the harmonised standard.

\*\*\* Useable volume of the oven in litres, determined in accordance with harmonised standard.

## COOKING

### GAS COOKERS

MODEL	ZK66040WN/SN /N/N/FN*	ZK66020WN/SN	ZK65540WN /S/N/N	ZK65530WN /S/N/N/FN*	ZK65030WN1 /N1/SN1	ZK65020WN1 /N1/FN1*
<b>DIMENSIONS</b>						
Width	cm	60	60	55	55	50
Height	cm	90	90	90	90	90
Depth	cm	60	60	60	60	60
<b>HOB</b>						
Type		Gas	Gas	Gas	Gas	Gas
Lid		■		■	■	■
Pan supports		Enamel	Enamel	Enamel	Enamel	Enamel
<b>BURNERS</b>						
Rear left		1 x 1.9kW (Semi-Rapid)	1 x 1.9kW (Semi-Rapid)	1 x 1.9kW (Semi-Rapid)	1 x 1.9kW (Semi-Rapid)	1 x 2.0kW (Semi-Rapid)
Rear right		1 x 1.9kW (Semi-Rapid)	1 x 1.9kW (Semi-Rapid)	1 x 1.9kW (Semi-Rapid)	1 x 1.9kW (Semi-Rapid)	1 x 2.0kW (Semi-Rapid)
Front left		1 x 2.9kW (Rapid)	1 x 2.9kW (Rapid)	1 x 2.9kW (Rapid)	1 x 2.9kW (Rapid)	1 x 2.8kW (Rapid)
Front right		1 x 1.0kW (Simmer)	1 x 1.0kW (Simmer)	1 x 1.0kW (Simmer)	1 x 1.0kW (Simmer)	1 x 1.0kW (Simmer)
<b>PROGRAMMER</b>						
Electronic clock/minute minder with end cock		■	■	■		
<b>TOP CAVITY/OVEN</b>						
Grill type		Variable	Variable	Variable	Variable	Variable
Multi zone cooking		■	■	■	■	■
Oven lining		Enamel	Enamel	Enamel	Enamel	Enamel
Viewing window		■	■	■	■	■
Useable volume		27	27	27	27	23
<b>MAIN OVEN</b>						
Grill type		Variable	Variable	Variable	Variable	Variable
Multi zone cooking		■	■	■	■	■
Viewing window		■	■	■	■	■
Oven light		■	■	■	■	■
Oven lining		Catalytic	Enamel	Catalytic	Catalytic	Enamel
Useable volume	litres	49	49	49	49	69
<b>COLOUR</b>						
White		■	■	■	■	■
Black						
Brown						
Silver		■	■	■	■	■
Stainless steel		■	■	■	■	■

\* Models with full safety device. Suitable for apartments and multi-occupancy dwellings

## COOKING

### DUAL FUEL COOKERS

MODEL	ZCM1030X	ZKMG640WN /N/N/SN	ZCM641X /ZCM640W
<b>DIMENSIONS</b>			
Width	cm	100	60
Height	cm	90	90
Depth	cm	60	60
<b>HOB</b>			
Type		Gas	Gas
Pan supports		Cast Iron	Enamel
<b>BURNERS</b>			
Rear left		1 x 1.75kW (Semi-Rapid)	1 x 1.9kW (Semi-Rapid)
Rear right		1 x 3.0kW (Rapid)	1 x 1.9kW (Semi-Rapid)
Centre		1 x 3.3kW (Wok)	
Front left		1 x 3.0kW (Rapid)	1 x 2.9kW (Rapid)
Front right		1 x 1.75kW (Semi-Rapid)	1 x 1.0kW (Simmer)
<b>PROGRAMMER</b>			
Automatic fully programmable		■	■
Rotary minute minder		■	■
<b>TOP CAVITY/OVEN</b>			
Grill type		Electric variable	Variable
Conventional cooking		■	■
Oven lining		Enamel	Catalytic
Viewing window		■	■
Useable volume**		31	37
Oven light			■
<b>MAIN OVEN</b>			
Grill type		Electric variable	Electric fixed
Thermaflow®		■	■
Conventional		■	■
Defrost		■	■
Top heat		■	■
Bottom heat		■	■
Oven light		■	■
Oven lining		Enamel	Catalytic
Viewing window		■	■
Useable volume	litres	52	58
<b>STORAGE</b>			
Compartment		■	
Drawer			■
<b>ENERGY RATING</b>			
Top oven*		B	A
Main oven*		B	A
<b>COLOUR</b>			
White			■
Black			■
Silver		■	
Stainless steel		■	■

\* Energy efficiency class on a scale of A (more efficient) to G (less efficient).

\*\* Energy consumption in kWh for the heating functions based on standard load determined in accordance with the test procedures of the harmonised standard.

\*\*\* Useable volume of the oven in litres, determined in accordance with harmonised standard.

# ENERGY EFFICIENCY INFORMATION

This scheme, which covers refrigerators, freezers, washing machines, tumble dryers, dishwashers and electric ovens is designed to offer consumers a standardised method of choosing the most energy efficient appliances. For refrigerators and freezers, as well as stating the Energy Efficiency Class ('A+' - most efficient, 'G' - least efficient) the label also gives the annual electricity consumption (i.e. running cost) and the usable storage capacity. For washing machines the label also states the wash performance and spin efficiency. Three ratings are given to ensure energy efficiency combined with effective washing and spinning. For dishwashers the label states energy efficiency, washing and drying performance. For electric ovens the label also states the energy consumption (in kWh) and the usable volume of the oven. If the oven is a double oven it will carry this information for both ovens.

Thinking of you <b>Electrolux</b>	
<b>Energy</b>	Refrigeration
<b>Manufacturer</b>	<b>ZANUSSI</b>
<b>Model</b>	ZNB343W
More efficient	<b>A</b>
A	
B	
C	
D	
E	
F	
G	
Less efficient	
Energy consumption kW/year <i>(Based on standard test results for 24h)</i>	<b>357</b>
Actual consumption will depend on how the appliance is used and where it is located	
Fresh food volume l	<b>245</b>
Frozen food volume l	<b>78</b>
<b>Noise</b> (dB(A) re 1 pW)	<b>42</b>
Further information is contained in product brochures	
Norm EN 153 May 1990 Refrigerator Label Directive 94/2/EC	

**A**

appliance with low energy consumption

**B**

**C**

appliance with medium energy consumption

**D**

**E**

appliance with high energy consumption

**F**

**G**



Many products in the Zanussi range are 'A' rated and endorsed by the Energy Savings Trust with an Energy Efficiency Recommendation. The award by this independent body is made only to the most energy efficient appliances on the market.

# AFTER SALES SUPPORT

**CUSTOMER CARE - TELEPHONE (08705) 727 727**

**SERVICE FORCE**

**Service Force Network**

Telephone (08705) 929 929 [www.serviceforce.co.uk](http://www.serviceforce.co.uk)

**Electrolux**



## RESPONSIVE CUSTOMER CARE/AFTER SALES SERVICE

Once you've bought a Zanussi appliance you're safe in the knowledge that in the unlikely event of a fault occurring you can rely on our commitment to look after your appliance throughout its working life. Over five hundred manufacturer trained service engineers are available nationwide and our complete care service is one of the most extensive and reliable available.

## 12 MONTHS PARTS AND LABOUR GUARANTEE

In the unlikely event of any repairs being required in the first year, we will carry them out free of charge. In addition, any repairs carried out after the guarantee period are covered by their own 12 month guarantee\*.  
\* Guarantee conditions provided on request.

## RAPID SERVICE

If you call us out under the 12 month guarantee, we endeavour to fix the appliance within seven working days of our first call.

## LOCAL SERVICE NATIONWIDE

Backed by the extensive range of spare parts held by our central warehouse, the Service Force Network will endeavour to repair your product in your home within 72 hours of receipt of the original call.\*

\* Excludes Saturdays, Sundays and Bank holidays, and may not be available in rural or outlying areas.

## SERVICE BY APPOINTMENT

To allow you to plan your day we can offer an appointment within a 3 hour time period, when the call is booked two days in advance.\*

We can also provide service outside of office hours and Saturday mornings.\*\*

\* Please note. The service pledge does not apply in the Republic of Ireland. \*\* A small extra charge is payable for this service.

## MARKETING POLICY

The policy of Zanussi is one of continued improvement. We therefore reserve the right to alter or amend product ranges, specifications and dimensions without notice. All specifications/dimensions including installation dimensions should be checked with the appropriate instruction manual before use or installation. If in doubt, contact your local Zanussi stockist who regularly receives up to date product information from our marketing department. E and O.E.

## THE THOUGHTFUL DESIGN INNOVATOR

Do you remember the last time you opened a gift that made you say 'Oh how did you know? That's exactly what I wanted!' That's the kind of feeling that the designers at Electrolux seek to evoke in everyone who chooses or uses one of our products. We devote time, knowledge, and a great deal of thought to anticipating and creating the kind of appliances that our customers really need and want.

This kind of thoughtful care means innovation with insight. Not design for design's sake, but design for the user's sake.

For us, thoughtful design means making appliances easier to use and tasks more enjoyable to perform, freeing our customers to experience that ultimate 21st century luxury, ease of mind. Our aim is to make this ease of mind more available to more people in more parts of their everyday lives, all over the world. So when we say we're thinking of you, you know that we mean just that.

## Electrolux - Thinking of you.

Share more of our thinking at [www.electrolux.com](http://www.electrolux.com)



## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>