

## RANGE COMPOSITION

A range of wall-mounted hoods used for snack applications and on the N700 and N 900 Series cooking units. Their particular profile and the limited installation height makes them suitable for use in places with low ceilings. The range consists of hoods with 6 different lengths (2000, 2400, 2800, 3200, 3600 and 4000 mm) and a depth of 2000 mm.



# MASTER - M line - 2000 mm

## 430 AISI CENTRAL TYPE HOODS **ZANUSSI** PROFESSIONAL


### FUNCTIONAL AND CONSTRUCTION FEATURES

- ◆ Constructed entirely in 430 AISI stainless steel.
- ◆ Labyrinth filters in 430 AISI stainless steel easily removable for cleaning. Labyrinth filters guarantee constant filtration to avoid clogging and protect against fire.

- ◆ Central drain pipe with drain hole to transfer grease into a 304 AISI container.
- ◆ External panels with upturned edges to avoid injuries.
- ◆ Blind panels in 304 AISI stainless steel for a correct exhaustion.
- ◆ The outlet holes are sized in order to minimize drops in pressure.

- ◆ Pressure gauging for perfect calibration.
- ◆ Condensate collection tray in 304 AISI stainless steel.
- ◆ Eyebolts and screw anchors for ceiling installation.
- ◆ Prearranged for installation of lighting.

TECHNICAL DATA						
CHARACTERISTICS	MODELS					
	MC2020BT 642301	MC2024BT 642302	MC2028BT 642303	MC2032BT 642304	MC2036BT 642002	MC2040BT 642305
External dimensions - mm						
width	2000	2400	2800	3200	3600	4000
depth	2000	2000	2000	2000	2000	2000
height	500	500	500	500	500	500
Air Capacity - mc/h	5100	6100	7100	8100	9100	10100
Net weight - kg.	51	60	69	78	87	96
<b>INCLUDED ACCESSORIES</b>						
304 S/S BLIND PANEL 400X500H MM					2	2
430 S/S LABYRINTH FILTER H=500 MM	6	8	10	12	12	14



OPTIONAL ACCESSORIES						
ACCESSORIES	MODELS					
	MC2020BT 642301	MC2024BT 642302	MC2028BT 642303	MC2032BT 642304	MC2036BT 642002	MC2040BT 642305
27-WATT LIGHTING FIXTURE W/1 LAMP-IP 65	680804	680804			680804	680804
36-WATT LIGHTING FIXTURE W/1 LAMP-IP 65			680805	680805	680805	680805
DRAIN FOR HOODS DIAM.1/2"(M) WITH PLUG	640409	640409	640409	640409	640409	640409
FAN FOR VENTIL HOODS+DUCTED EXTRACT UNIT	640748	640748	640748	640748	640748	640748
SPEED VARIATOR FOR MOTORS UP TO 1.7 KW	640686	640686	640686	640686	640686	640686



www.zanussiprofessional.com

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>