

Keep your kitchen odour free thanks to Zanussi's innovative cooker hoods. Easy to use and easy to clean, Zanussi is always looking to be your partner in the kitchen.



STYLISH DESIGN

Zanussi combines brilliant design with stunning good looks. Our range of stainless steel chimney hoods with glass canopies are all designed to complement your oven and hob perfectly.




UP TO 5 SPEEDS

Make kitchen odours a thing of the past thanks to Zanussi's variable settings. With 3 to 5 speed levels to choose from including an intensive option on some models, Zanussi hoods will deliver extremely high extraction rates with minimum noise, to keep your kitchen fresh.



FILTERS

Whether you prefer a hood that extracts or re-circulates air you certainly won't have any trouble with our filters. You can choose between metal filters that can be washed in a dishwasher or synthetic filters with saturation indicators that let you know when they need changing. Zanussi lets you decide.



ALL SHAPES AND SIZES

Zanussi hoods come in a variety of shapes and sizes, ranging up to 90cm. To make life easier these symbols will help you easily identify which hood is right for your kitchen. Zanussi - the perfect fit!

The measurements in the above box relate to the floor space of the kitchen and may help to ensure that you select the correct hood for your kitchen that will deal with vapour, airborne grease and odours.



ASPIRATIONAL
ASPIRATIONAL
ASPIRATIONAL





ZHC4284

Stainless steel island hood.



Hood Features

- 4 speed levels + intensive setting
- Stylish cuboid design
- Electronic push button controls
- 4 x 20W halogen spot lamps
- Attached to the ceiling for island installation
- Washable metal grease filter
- Charcoal filter as standard
- Recirculation or ducted
- Perimeter extraction
- Maximum extraction rate 870m³/hr
- Maximum noise level 66dB(A)

Accessories

Ducting kit CDK6FR

Colour

Stainless steel ZHC4284X



Suitable for kitchens up to this size - for optimum performance and clean air



ZHC9454

90cm stainless steel and glass chimney hood



Hood Features

- 3 speed levels + intensive setting
- Stainless steel chimney hood with glass canopy
- Rotary control
- Twin 20W halogen spot lamps
- Washable metal grease filter
- Charcoal filter as standard
- Recirculation or ducted
- Maximum extraction rate 600m³/hr
- Maximum noise level 67dB(A)

Accessories

Ducting kit 1m - CDK5F
3m - CDK5FR

Colour

Stainless steel ZHC9454X



Suitable for kitchens up to this size - for optimum performance and clean air

SQUARE DESIGN

New stylish square design complementing your oven and hob perfectly.

SQUARE DESIGN

New stylish square design complementing your oven and hob perfectly.



ZHC9254

90cm stainless steel and glass chimney hood



Hood Features

- Stylish stainless steel hood with glass canopy
- 3 speed levels
- Push button controls
- Twin 20W halogen spot lamps
- Washable metal grease filter
- Charcoal filter as standard
- Recirculation or ducted
- Maximum extraction rate 440m³/hr
- Maximum noise level 65dB(A)

Accessories

Ducting kit
1m - CDK5F
3m - CDK5FR

Colour

Stainless steel ZHC9254X



Suitable for kitchens up to this size - for optimum performance and clean air

SQUARE DESIGN

New stylish square design complementing your oven and hob perfectly.



EFC90950/EFA90950

90cm stainless steel and glass chimney hood



Hood Features

- 3 speed levels + intensive setting
- Stainless steel chimney hood with glass canopy available as either a wall or island hood
- Electronic touch controls
- Twin 20W halogen spot lamps on wall version
- 4x20W halogen lamps on island version
- 2 washable metal grease filters
- Charcoal filter EFF72 optional
- Recirculation or ducted
- Maximum extraction rate 660m³/hr
- Maximum noise level 68dB(A)

Accessories

Ducting kit CDK6FR

Colour

Stainless steel chimney wall EFC90950X
Stainless steel island EFA90950X



Suitable for kitchens up to this size - for optimum performance and clean air



EFC70710

60cm stainless steel and glass canopy chimney hood extends to 70cm using side trims



Hood Features

- 3 speed levels
- Push button controls
- Twin 40W worktop illumination lamps
- 2 washable metal grease filters
- Suitable for low ceiling heights
- Charcoal filter EFF72 optional
- Recirculation or ducted
- Maximum extraction rate 440m³/hr
- Maximum noise level 61 dB(A)

Accessories

Ducting kit
1m - CDK5F
3m - CDK5FR

Colour

Stainless steel EFC70710X



Suitable for kitchens up to this size - for optimum performance and clean air



EFC70700

70cm stainless steel chimney hood



Hood Features

- 3 speed levels
- Push button controls
- Twin 20W halogen spot lamps
- 2 washable metal grease filters
- Charcoal filter type 160 optional
- Recirculation or ducted
- Maximum extraction rate 450m³/hr
- Maximum noise level 64dB(A)

Accessories

Ducting kit
1m - CDK5F
3m - CDK5FR

Colour

Stainless steel EFC70700X



Suitable for kitchens up to this size - for optimum performance and clean air



EFC90001/EFC60001

90/60cm chimney hood



Hood Features

- 3 speed levels
- Slider controls
- Twin 40W worktop illumination lamps
- 2 washable metal grease filters
- Charcoal filter EFF62 optional
- Suitable for low ceiling heights
- Recirculation or ducted
- Maximum extraction rate 450m³/hr
- Maximum noise level 61dB(A)

Accessories

Ducting kit
1m - CDK5F
3m - CDK5FR

Colour

Stainless steel EFC90001X
White EFC90001W
Black EFC90001K
Stainless steel EFC60001X
White EFC60001W
Black EFC60001K



Suitable for kitchens up to this size - for optimum performance and clean air



EFC70001

70cm stainless steel chimney hood



Hood Features

- 3 speed levels
- Slider controls
- Twin 40W worktop illumination lamps
- 2 washable metal grease filters
- Suitable for low ceiling heights
- Charcoal filter EFF62 optional
- Recirculation or ducted
- Maximum extraction rate 450m³/hr
- Maximum noise level 61dB(A)

Accessories


Ducting kit
1m - CDK5F
3m - CDK5FR

Colour

Stainless steel EFC70001X



Suitable for kitchens up to this size - for optimum performance and clean air



EFG50021

50cm integrated canopy hood



Hood Features


- 3 speed levels
- Slider controls
- Twin 40W hob lights
- Synthetic grease filter with saturation indicator
- Charcoal filter EFF70 optional
- Recirculation or ducted
- Maximum extraction rate 280m³/hr
- Maximum noise level 61dB(A)

Accessories

Ducting kit
1m - CDK5F
3m - CDK5FR

Colour

Silver/Grey EFG520021S



EFP60032

60cm telescopic hood



Hood Features

- 3 speed levels
- Slider controls
- Twin 40W worktop illumination lamps
- 2 washable aluminium cassette grease filters - easy to clean
- Charcoal filter EFF70 optional
- Recirculation or ducted
- Maximum extraction rate 310m³/hr
- Maximum noise level 63dB(A)

Accessories

Ducting kit
1m - CDK5F
3m - CDK5FR

Colour

Silver/Grey EFP60032X

EFI60011

60cm integrated cooker hood



Hood Features

- 3 speed levels
- Slider controls
- Twin 40W worktop illumination lamps
- Synthetic grease filter with saturation indicator
- Charcoal filter Type 29 optional
- Recirculation or ducted
- Maximum extraction rate 220m³/hr
- Maximum noise level 62dB(A)

Accessories

Ducting kit
1m - CDK5F
3m - CDK5FR

Colour

Silver/Grey EFI60011S

EFT60004

60cm traditional cooker hood



Hood Features

- 3 speed levels
- Slider controls
- Glass visor
- 1x40W worktop illumination lamp
- Synthetic paper grease filter with saturation indicator
- Charcoal filter EFF57 optional
- Recirculation or ducted
- Maximum extraction rate 180m³/hr
- Maximum noise level 59dB(A)

Accessories

Ducting kit
1m - CDK5F
3m - CDK5FR

Colour

Black EFT60004K
White EFT60004W
Stainless steel EFT60004X

EFB60/90/120/EFB675/975/175

Splashbacks



Splashback Features

- Stylish stainless steel splashbacks
- Complements our range of stainless steel ovens, hobs & hoods - easy to wipe clean.

Sizes

EFB60X 60cm wide x 70cm high
EFB90X 90cm wide x 70cm high
EFB120X 120cm wide x 70cm high
EFB675X 60cm wide x 75cm high
EFB975X 90cm wide x 75cm high
EFB175X 100cm wide x 75cm high

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>