

RANGE COMPOSITION

The range consists of 4 sinks, with all-round apron panelling, 2100, 2400 or 2800 mm in length, and with a single bowl.



2100/2800 mm

DOUBLE BOWL SINKS ON LEGS **ZANUSSI** PROFESSIONAL

FUNCTIONAL AND CONSTRUCTION FEATURES


- ◆ Worktop in 10/10, 304 AISI stainless steel, 40 mm in thickness and with overflow rim along the top.
- ◆ Sink bowl in 304 AISI stainless steel, supplied as standard with an overflow pipe and a drain hole.
- ◆ Rear splashback with 8 mm rounded corner, 100 mm in height and 13 mm deep.
- ◆ Square section legs with 1" height-adjustable (40 mm) feet in 304 AISI stainless steel to guarantee perfect alignment with other food preparation units.
- ◆ Quick and easy installation as the sink tops are slotted onto the legs and the taps are easily installed from the rear.
- ◆ Accessories available on request: lower shelf, tap unit, false bowl bottom, overflow filter, single or double syphons.
- ◆ A 40 mm thick lower shelf can be easily slotted into position, 200 mm

from the floor, without using tools. The shelves are supplied in solid versions as standard, with perforated shelves supplied on request.


- ◆ All models comply with the more strict international standards as far as hygiene and cleanability are concerned.

| TECHNICAL DATA | | | | |
|------------------------------|---------------------|---------------------|-------------------|-------------------|
| CHARACTERISTICS | MODELS | | | |
| | LG2126DXP 132360 | LG2126SXP 132361 | LG2426P 132364 | LG2826P 132365 |
| External dimensions - mm | | | | |
| width | 2100 | 2100 | 2400 | 2800 |
| depth | 700 | 700 | 700 | 700 |
| height | 1000 | 1000 | 1000 | 1000 |
| Worktop thickness - mm | 50 | 50 | 50 | 50 |
| Upstand dimensions - mm | | | | |
| height | 100 | 100 | 100 | 100 |
| depth | 13 | 13 | 13 | 13 |
| radius | R=8 | R=8 | R=8 | R=8 |
| Bowls - n. | 2 | 2 | 2 | 2 |
| Bowl dimensions (wxdxh) - mm | 600x500xH300 | 600x500xH300 | 600x500xH300 | 600x500xH300 |
| Net weight - kg. | 65 | 65 | 70 | 75 |
| Drainers -n. | 1 | 1 | 2 | 2 |
| Right hand drainer | ● | | | |
| Left hand drainer | | ● | | |


132360




132361



132364



132365



LEGEND

| | LG2126DXP 132360 | LG2126SXP 132361 | LG2426P 132364 | LG2826P 132365 |
|----------------------|---------------------|---------------------|-------------------|-------------------|
| A - Hot water inlet | 3/4" | 3/4" | 3/4" | 3/4" |
| B - Cold water inlet | 3/4" | 3/4" | 3/4" | 3/4" |
| C - Water drain | 2" | 2" | 2" | 2" |

OPTIONAL ACCESSORIES

ACCESSORIES

| ACCESSORIES | MODELS | | | |
|---|---------------------|---------------------|-------------------|-------------------|
| | LG2126DXP 132360 | LG2126SXP 132361 | LG2426P 132364 | LG2826P 132365 |
| DOUBLE PLASTIC DRAIN SYPHON 2" | 850022 | 850022 | 850022 | 850022 |
| ELBOW OP.MIXER TAP+SPOUT-3/4" SINGLE HOLE | 855322 | 855322 | 855322 | 855322 |
| ELBOW OP.TAP+SPRAY ARM+SPOUT-3/4" HOLE | 855324 | 855324 | 855324 | 855324 |
| FALSE BOTTOM FOR L/H 600X500 MM BOWL | 895110 | 895110 | 895110 | 895110 |
| FALSE BOTTOM FOR R/H 600X500 MM BOWL | 895100 | 895100 | 895100 | 895100 |
| FOOT OP.MIXER TAP(HOT+COLD)+SPOUT-3/4" | 855328 | 855328 | 855328 | 855328 |
| LOWER SHELF FOR 2100 MM SINK | 855351 | 855351 | | |
| LOWER SHELF FOR 2400 MM SINK | | | 855354 | |
| LOWER SHELF FOR 2800 MM SINK | | | | 855358 |
| MAXIREEL-RETRACTABLE HOSE SPRAY UNIT 10M | 855320 | 855320 | 855320 | 855320 |
| MAXIREEL-RETRACTABLE HOSE SPRAY UNIT 15M | 855321 | 855321 | 855321 | 855321 |
| MAXIREEL-RETRACTABLE HOSE SPRAY UNIT 6M | 855327 | 855327 | 855327 | 855327 |
| MIXER TAP W/FOOT PEDAL FOR SINKS ON LEGS | 855317 | 855317 | 855317 | 855317 |
| MIXER TAP WITH SPOUT 3/4" SINGLE HOLE | 855319 | 855319 | 855319 | 855319 |
| MIXER TAP(INFRARED)+SPOUT 3/4" SING.HOLE | 855325 | 855325 | 855325 | 855325 |
| MIXER TAP(PREMIUM)+SPRAY ARM-3/4" HOLE | 855326 | 855326 | 855326 | 855326 |
| MIXER TAP+SPRAY ARM+SPOUT-3/4" SING.HOLE | 855329 | 855329 | 855329 | 855329 |
| OVERFLOW FILTER FOR 600X500 MM BOWL | 895135 | 895135 | 895135 | 895135 |
| PRE-WASH SPRAY UNIT,SINGLE HOLE | 855315 | 855315 | 855315 | 855315 |
| SINGLE BRASS SYPHON 2" | 895314 | 895314 | 895314 | 895314 |
| SINGLE PLASTIC SYPHON 2" | 895313 | 895313 | 895313 | 895313 |
| WALL MIX.TAP+SPRAY+SPOUT+SH.LEVER+THERM | 855307 | 855307 | 855307 | 855307 |
| WALL MIXER TAP WITH SWIVEL SPOUT 3/4" | 855310 | 855310 | 855310 | 855310 |



www.zanussiprofessional.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>