

LS Series



In less than a decade, Athena TECHNOLOGIES® has become one of the best reviewed speaker brands in the world. Building on a reputation of excellence and value, athena TECHNOLOGIES® is proud to introduce the LS Series. Blending contemporary styling and stunning performance, the LS Series will please your eyes and ears. The elegant wood grained curved cabinets are sure to appeal to your sense of style.

This Series marks the introduction of aluminum dome tweeters and Composite Fiberglas™ woofers to the Athena TECHNOLOGIES® brand. Aluminum dome tweeters are extremely accurate due to their light weight. Composite Fiberglas™ is an extremely rigid and light weight material allowing a woofer to not only play loud, but clear. A further testament to the value of athena TECHNOLOGIES® products, these technologies are found on speakers that sell for many times the price of the LS Series.

Whether you are just getting into a music or movie system or have appreciated the experience of good quality components in your system for years, the LS Series will please you.

Like all athena TECHNOLOGIES® products, the LS Series plays loud and clear while offering exceptional value.





	LS-50B	LS-100B
Design	3" Curved Cabinet Shielded Satellite Speaker	5 1/2" 2-Way Curved Cabinet Shielded Bookshelf Speaker
Power Handling		120 Watt
Woofer	3" Cone	5 1/2" Composite Fiberglass™ Cone
Tweeter	3/4" Soft Dome	1" Aluminum Dome
Frequency Response	90Hz - 20kHz	55Hz - 20kHz
Typical Room Sensitivity	84dB	87dB
Dimension HxDxW (in.)	6.9 x 5.6 x 4.7	12.8 x 9.7 x 7
Dimension HxDxW (cm)	17 x 13.6 x 11.8	32.5 x 24.5 x 18
Weight	n/a	n/a
Finish	Black Ash	Black Ash
Accessories	Keyhole Wall Bracket Included	-

	LS-C50B	LS-C100B
Design	Dual 3" 2-Way Curved Cabinet Shielded Center Channel Speaker	5 1/2" 2-Way Curved Cabinet Shielded Bookshelf Speaker
Power Handling	100 Watt	125 Watt
Woofer	Dual 3" Cone	5 1/2" Composite Fiberglass™ Cone
Tweeter	3/4" Soft Dome	1" Aluminum Dome
Frequency Response	85Hz - 20kHz	60Hz - 20kHz
Typical Room Sensitivity	84dB	87dB
Dimension HxDxW (in.)	4.7 x 5.6 x 13.8	6.9 x 7.9 x 18
Dimension HxDxW (cm)	11.8 x 13.6 x 35	17.5 x 20 x 45.7
Weight	n/a	n/a
Finish	Black Ash	Black Ash
Accessories	Tabletop Mounting Included	-



	LS-300B	LS-500B
Design	6 1/2" 2-Way Curved Cabinet Shielded Floorstanding Speaker	Dual 6 1/2" 2-Way Curved Cabinet Shielded Floorstanding Speaker
Power Handling	200 Watt	250 Watt
Woofer	6 1/2" Composite Fiberglass™ Cone	6 1/2" Composite Fiberglass™ Cone
Tweeter	1" Aluminum Dome	1" Aluminum Dome
Frequency Response	38Hz - 20kHz	30Hz - 20kHz
Typical Room Sensitivity	89dB	90dB
Dimension HxDxW (in.)	34.7 x 11 x 9.7	38.5 x 11.8 x 9.7
Dimension HxDxW (cm)	88 x 28 x 24.5	97.9 x 30 x 24.5
Weight	n/a	n/a
Finish	Black Ash	Black Ash

www.athenaspeakers.com
3641 McNicoll Avenue, Toronto, Ontario Canada M1X 1G5 Telephone 416 321 1800

#3PAB018E Printed in Canada

Specifications Subject to Change Without Prior Notice.



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>