



## Gravity-Feed Spray Gun

DH7800

- Designed to provide optimal atomization and particle size
- Stainless fluid needle and nozzle are compatible with today's advanced coatings
- 600 milliliter acetal cup allows viewing of paint fluid level while providing chemical resistance and easy cleaning
- In-line 80 mesh filter removes dirt particles from paint, preventing defects
- Includes adjustable fluid, pattern and air controls

**5.9** AVG. SCFM Requirement @ 40 PSI



## Gravity-Feed Touch-up Spray Gun

DH7600

- Stainless steel fluid needle and nozzle for corrosion-resistant life
- In-line paint filter removes dirt particles from paint, preventing defects
- See-through cup allows viewing of paint fluid level
- Includes adjustable fluid, pattern and air controls

**2.5** AVG. SCFM Requirement @ 40 PSI



## High Volume Low Pressure (HVLP)

Spray guns operate at lower air cap pressures than conventional spray guns (below 10 PSI). Atomized paint from an HVLP spray gun is delivered to the work surface at lower velocities than conventional spray guns, reducing bounceback and overspray. This results in a higher transfer efficiency of material, reducing paint consumption by 20-30%.

## HVLP Gravity-Feed Spray Gun

DH7900

- Designed to provide optimal atomization and particle size
- Stainless fluid needle and nozzle are compatible with today's advanced coatings
- 600 milliliter acetal cup allows viewing of paint fluid level while providing chemical resistance and easy cleaning
- In-line 80 mesh filter removes dirt particles from paint, preventing defects
- Includes adjustable fluid and pattern controls

**6.2** AVG. SCFM Requirement @ 40 PSI



## Why Use Spray Guns?

Spraying offers quality finishes on a consistent basis. Spray guns offer several advantages over wiping, brushing or rolling on a paint finish. These include speed, versatility, control, ease of repair, simplicity and consistency of application.

### HVLP Gravity-Feed Touch-up Spray Gun **DH7700**

- Stainless steel fluid needle and nozzle for corrosion-resistant life
- HVLP increases transfer efficiency and reduces paint consumption
- In-line paint filter removes dirt particles from paint, preventing defects
- See-through chemical-resistant cup allows viewing of paint fluid level
- Includes adjustable fluid and pattern controls



**2.8** AVG. SCFM Requirement @ 40 PSI

### Siphon-Feed Spray Gun **DH6500**

- Great choice in an economical spray gun
- Produces a fine finish for most automotive, furniture and equipment painting
- Pattern control adjusts fan size
- Includes 1 qt. anti-drip canister



**7.0** AVG. SCFM Requirement @ 40 PSI

### Siphon-Feed Spray Gun **DH7500**

- Designed to provide optimal atomization and particle size
- Stainless fluid needle and nozzle are compatible with today's advanced coatings
- Built-in air adjusting valve provides easy adjustment at tool
- Includes 1 qt. anti-drip canister



**6.3** AVG. SCFM Requirement @ 40 PSI

Model No.	Fluid Delivery Type	Fluid tip (in./mm)	Paint Viscosity Range	Adjustment Controls	Fan Pattern Size	Canister Size
DH7800	Gravity	.055/1.4	Low-Med.	Pattern/Material/Air	1.5-11	600 ml
DH7600	Gravity	.025/1.0	Low-Med.	Pattern/Material/Air	.75-6.0	5 oz.
DH7900	Grav./HVLP	.055/1.4	Low-Med.	Pattern/Material	1.5-10	600ml
DH7700	Grav./HVLP	.025/1.0	Low-Med.	Pattern/Material	.75-5.0	5 oz.
DH6500	Siphon	.071/1.8	Very Low-Med.	Pattern/Material	1.5-9.5	1 qt.
DH7500	Siphon	.071/1.8	Very Low-Med.	Pattern/Material	1-10	1 qt..

Air Tools



## Siphon-Feed Detail Spray Gun

DH5500

- Provides full size pattern in a small package
- Nickel plated body provides easy clean-up
- Features both fluid and pattern controls
- Includes 8 fl. oz canister

**4.2** AVG. SCFM Requirement @ 40 PSI



## Pressure-Feed Spray Gun

DH3800

- Pressure-feed design sprays low to high viscosity materials
- Ball burnished finish allows for easy clean-up

**2.0** AVG. SCFM Requirement @ 40 PSI



## Basic Spray Gun

DH3200

- Pressure-feed design sprays low to high viscosity materials
- Bleeder design operates with most tankless air compressors
- Fluid control regulates amount of paint sprayed

**2.7** AVG. SCFM Requirement @ 40 PSI



## General Purpose Spray Gun

DH4200

- Changes from siphon to pressure-feed for use with a variety of materials
- Convertible from non-bleeder to bleeder style for use with standard or tankless air compressors
- Works with paint tanks and remote canisters

**2.0** AVG. SCFM Requirement @ 40 PSI



## General Purpose Spray Gun

DH5300

- Easily changes from siphon to pressure-feed with the twist of a knob for use with a variety of materials
- Pattern control adjusts fan size for better results
- Convertible from non-bleeder to bleeder style for use with standard or tankless air compressors
- Works with paint tanks and remote canisters



**4.3** AVG. SCFM Requirement @ 40 PSI

## Pressure-Feed Spray Gun System

DH6600

- Remote canister allows spraying in tight areas for better maneuverability
- Sprays in any position for added convenience
- Includes 2 qt. pressure canister, regulator and 6' air and material hoses



**7.0** AVG. SCFM Requirement @ 40 PSI

## Air Brush Set

MP2900

- Paints fine lines for pin striping, graphics, detailing, modeling, and more
- Dual action trigger allows the user to vary the line width while spraying
- Includes a protective cap, 22cc cup, 5cc metal cup, 60cc mix jar with lid, 6' air hose with adapter, hanger, and molded case



**.23** AVG. SCFM Requirement @ 40 PSI

## 2 1/2 Gallon Stainless Steel Paint Tank

PT2813

- Bucket holds 2 1/2 gallons of paint for longer spraying between refills
- Tank accepts 1 gallon paint can for added convenience
- Compatible with most paint materials and solvents
- Includes tank pressure regulator, gauge, safety valve, and 15' material hose and air hose



Model No.	Fluid Delivery Type	Fluid tip (in./mm)	Paint Viscosity Range	Adjustment Controls	Fan Pattern Size	Canister Size
DH5500	Siphon	.071/1.8	Very Low-Med.	Pattern/Material	1.5-9	8 oz.
DH3800	Pressure	.050/1.3	Low-High	Material	6.5	1 qt.
DH3200	Pressure	.049/1.2	Low-High	Material	6.5	1 qt.
DH4200	Pressure/Siphon	.050/1.3	Low-High	Material	6.5	1 qt.
DH5300	Pressure/Siphon	.050/1.3	Low-High	Pattern/Material	1-8	1 qt.
DH6600	Pressure	.039/1.0	Low-High	Pattern/Material	1-9	2 qt.
MP2900	Siphon	.015/0.38	Low	Material/Air	---	60cc, 22cc, 5cc

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>