

SPECIFICATION


2005 DIBOSS LCD TV

Q Model Series

SIZE / TOOL		20Q5			23Q5			32Q5		
MODEL		LT-20Q5LF	LT-20Q5TF	LT-20Q5MF	LT-23Q5LFH	LT-23Q5TFH	LT-23Q5MFH	LT-32Q5LFH	LT-32Q5TFH	LT-32Q5MFH
SYSTEM	PAL/SECAM*B/G, DK, I	●	●	—	●	●	—	●	●	—
	SECAM*LL'	●	—	—	●	—	—	●	—	—
	NTSC 3.58/4.43(AV)	●	●	●	●	●	●	●	●	●
	PAL NM	—	—	●	—	—	●	—	—	●
	NTSC M	—	●	●	—	●	●	—	●	●
PICTURE	Progressive Scan	●	●	●	●	●	●	●	●	●
	Skin Tone	—	—	—	—	—	—	—	—	—
	Black Strecher	—	—	—	—	—	—	●	●	●
	Digital Comb Filter	4H	4H	4H	4H	4H	4H	4H	4H	4H
	*DCTV/DLTI	●	●	●	●	●	●	●	●	●
	Picture Enhancer	—	—	—	—	—	—	—	—	—
Picture Mode(Dynamic, Standard, Mid, Game, User)	5 Mode	5 Mode	5 Mode	5 Mode	5 Mode	5 Mode	5 Mode	5 Mode	5 Mode	
SOUND	Stereo / NICAM	●/●	●●	USKOREA/JAPAN	●●	●●	USKOREA/JAPAN	●●	●●	USKOREA/JAPAN
	Sound Effect	surround	Surround	Surround	surround	Surround	Surround	Surround	Surround	Surround
	AVL(Auto Volume Leveller)	●	●	●	●	●	●	●	●	●
	Equalizer	●	●	●	●	●	●	●	●	●
	Sound Output	5W x 2	5W x 2	5W x 2	10W x 2	10W x 2	10W x 2	10W x 2	10W x 2	10W x 2
	SoundMode (Flat, Music, Movie, Speech, User)	5 Mode	5 Mode	5 Mode	5 Mode	5 Mode	5 Mode	5 Mode	5 Mode	5 Mode
TELETEXT	Page	10 page	10 page	—	10 page	10 page	—	1000 page	1000 page	—
	TOP/FLOF	●●	●●	—	●●	●●	—	●●	●●	—
	*WSS	●	●	—	●	●	—	●	●	—
CAPTION	Caption / Vchip	—	—	●●	—	—	●●	—	—	●●
OSD	MENU/Half Tone	●	●	●	●	●	●	●	●	●
	Multi Language	●	●	●	●	●	●	●	●	●
	Program List / Edit	●●	●●	●/X	●●	●●	●/X	●●	●●	●/X
OTHERS	Double Window Text	●	●	—	●	●	—	—	—	—
	Double Window PIP	—	—	—	—	—	—	—	—	—
	PIP(AV/PC, RF/PC, AV/RF) / POP	—	—	—	●, X, X / ●	●, X, X / ●	●, X, X / ●	●, X / ●	●, X / ●	●, X / ●
	Zoom Function	—	—	—	●	●	●	●	●	●
	ARC (Aspect Ratio Control)	—	—	—	●	●	●	●	●	●
	FM Radio	●	●	●	●	●	●	●	●	●
	Real Clock	●	●	●	●	●	●	●	●	●
	HD Ready	—	—	—	●	●	●	●	●	●
DIGITAL APPLICATION	DTV Tuner	—	—	—	—	—	—	—	—	
INPUT	HDMI™ Input	—	—	—	—	—	—	●	●	●
	DVI Input	—	—	—	DVI-D	DVI-D	DVI-D	—	—	—
	Component 1 (Y/Pb/Pr)	—	480i/576i	480i/576i	480i-1080i	480i-1080i	480i-1080i	480P-1080i	480i-1080i	480i-1080i
	Component 2 (Y/Pb/Pr)	—	—	—	—	480i-1080i	480i-1080i	—	480i-1080i	480i-1080i
	S.Video	●	●	●	●	●	●	●	●	●
	AV 1	Full SCART	PHONE	PHONE	Full SCART	PHONE	PHONE	Full SCART	PHONE	PHONE
	AV 2	PHONE	—	—	Half SCART	—	—	Half SCART	—	—
	AV 3	—	—	—	—	—	—	—	—	—
	Digital Sound(optical/Coaxial)	—	—	—	—	—	—	—	—	—
	D-SUB	—	—	—	●	●	●	●	●	●
PC Audio In	—	—	—	●	●	●	●	●	●	
OUTPUT	Digital Sound(Optical/Coaxial)	—	—	—	—	—	—	COAX	COAX	COAX
	AV Out	●	●	●	—	●	●	—	●	●
	Woofer	—	—	—	—	—	—	—	—	—
	Headphone	●	●	●	●	●	●	●	●	●
CONTROL	RS-232C	—	—	—	—	—	—	—	—	—
	RJ11 or RJ45	●	●	●	—	—	—	●	●	●
POWER	Power(Internal / Adapter)	Adaptor(15V)			Internal(SMPS)			Internal(SMPS)		
	Power Consumption	70W below			140 W			150W		
	Stand By Power Consumption	3W below			3W below			3W below		

*DCTV/DLTI : Digital Colour Transient Improvement
Digital Luminance Transient Improvement

*WSS : Wide Screen Signaling



DIBOSS LCD TV



www.diboss.tv

Head Office / R&D

126-1, Gongdan-Dong, Gumi, Gyeongbuk, Korea TEL : 82-54-461-2005 FAX : 82-54-461-2008

Seoul Office

C-1207 Woolim Lion's Valley, 371-28, Gasan-dong, Geumcheon-gu, Seoul, 150-834, Korea TEL : 82-2-2101-2921~2934 FAX : 82-2-2101-2919

Office in Europe

DIBOSS France : Tel. 33-(0)1-4863-7091 Fax. 33-(0)1-4863-8644 e-mail. baboo@diboss.com

DIBOSS UK : Tel. 44-(0)7766-916-538 Fax. 44-(0)1895-876-316 e-mail. cshan@diboss.co.uk

DIBOSS Nordic : Tel. 46-8-594-63-532 Fax. 46-8-594-63-531 e-mail. didi.shin@diboss.se

DIBOSS Europe : Tel. 370-5233-0093 Fax. 370-5233-0093 e-mail. cool@diboss.com

Absolute Picture
DIBOSS

DPC-YSJ050825

Download from WwW.Somanuals.com. All Manuals Search And Download.

Luxury Space with High Technology

You can enjoy the true multimedia experience with this highly advanced display technology. On the wall or on a table, its finest view can be a perfect match for your home theater system.

Also it can fit in other applications where you can feel every bit of up-to-date virtues of LCD-TV.



▶ LT-32Q5*FH

- Brightness : 500 cd
- Contrast Ratio : 1000:1
- Resolution : 1366 x 768
- Viewing Angle : 170(H)x170(V)
- Response Time : 8msec
- DVB-T (Option)
- ATSC (US)
- HD Ready
- Radio, Real Clock
- 1,000 TXT (EU)



▶ LT-23Q5*FH

- Brightness : 500 cd
- Contrast Ratio : 1000:1
- Resolution : 1366 x 768
- Viewing Angle : 170(H)x170(V)
- Response Time : 8msec
- HD Ready
- Radio, Real Clock



▶ LT-20Q5*F

- Brightness : 450 cd
- Contrast Ratio : 500:1
- Resolution : 640 x 480
- Viewing Angle : 160(H)x140(V)
- Response Time : 16msec
- Radio, Real Clock



Q.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>