



**By-Pass Flow Through Humidifier  
HE280**

# By-Pass Flow Through Humidifier HE280

INCREASING COMFORT WHILE PROTECTING THE HOME

## KEY FEATURES:

- Replenishes moisture throughout the home to make it more comfortable
- Water-saving technology – uses 30% less water than standard models
- For homes up to 2,000 to 4,000 sq ft.
  - Typical homes (more than 20 years old): Up to 2,000 sq ft.\*
  - Newer homes (less than 20 years old): Up to 4,000 sq ft.\*
- Installation Kit included
  - Easier installation with fewer duct connections, less wiring and an online installation video
  - Flow-sensing pressure switch and shut-off damper built into product, easing the installation process for homeowners
- Packaging and product design enhance the look on shelf and simplify purchase decision for consumer
- Utilizes home's HVAC system for whole-home humidity distribution
- Easy mounting on either warm air supply or return air duct of forced-air furnaces
- Less maintenance and cleaning than portable units
- Protects wood floors and furnishings from drying and cracking
- Reduces static electricity
- Saves money and energy – because the improved humidity makes for a more comfortable home, the thermostat can be turned down a few degrees
- Easy-to-use Honeywell humidity control included
- PerfectFLO® water distribution tray optimizes efficiency and water usage

\* Age of home is a general guideline in determining humidification range but should not be used as sole determining factor for sizing

Country of Origin: Mexico

## Learn More

1-800-468-1502

## Automation and Control Solutions

Honeywell

1985 Douglas Drive North  
Golden Valley, MN 55422

67-5587 PM  
March 2012  
© 2012 All Rights Reserved Honeywell Inc. 

UNITED STATES  
HE280A2001/U



CANADA  
HE280C2010/U



## SPECIFICATIONS:

MODEL HE280

### Master Carton / Retail Package

Qty	1
Dim. HxDxW (in.)	18.3 x 13.9 x 19.8
Unit Wt. (lbs.)	15.12
Cu. Ft.	2.9

Electrical Rating	24 Vac, 0.5A
Dimensions HxDxW (in.)	16.25 x 18.5 x 9.75
Plenum Duct Opening WxH (in.)	9.75 x 12.625
By-Pass Duct Opening (in.)	6
Replacement Pad (US):	HC26P1002
Replacement Pad (CA):	HC26A1016

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>