

Captuvo SL62

Enterprise Sled for Apple® iPad mini

Quick Start Guide

Aller à www.honeywellaidc.com pour le français.

Vai a www.honeywellaidc.com per l'italiano.

Gehe zu www.honeywellaidc.com für Deutsch.

Ir a www.honeywellaidc.com para español.

Перейти на русскоязычный сайт www.honeywellaidc.com.

Pro češtinu jdi na www.honeywellaidc.com.

Pre slovenčinu choď na www.honeywellaidc.com.

Idź na stronę : www.honeywellaidc.com po quick start w języku polskim.

Türkçe için lütfen www.honeywellaidc.com sayfasını ziyaret ediniz.

Para Português, acesse www.honeywellaidc.com.br.

查看简体版请登陆 www.honeywellaidc.com。

查看繁体版请登陆 www.honeywellaidc.com。



CAPTUVOSL62-QS Rev C
5/14

Getting Started

The Captuvo SL62 Enterprise Sled (Agency Model: SL-ES-E) used with the Apple iPad mini tablet includes an optional integrated imager for scanning all types of bar codes. An optional magnetic stripe reader (MSR) for reading cards with magnetic stripes is also available.

*Note: Honeywell is not an authorized Apple repair center. Please return **only** your sled to us for repair. Honeywell is not liable for any non-Honeywell product shipped to our repair center.*


Note: Refer to your Apple iPad mini documentation for important product and safety information.

User Documentation


For more information about the sled and to download the sled documentation, visit www.honeywellaidc.com.

Note: Due to the availability of different models, your sled may look slightly different from the illustrations included in this document.

Front View



Back View



Inserting the Battery




Ensure all components are dry prior to mating sleds/batteries with peripheral devices. Mating wet components may cause damage not covered by the warranty.



We recommend use of Honeywell Li-Ion battery packs. Use of any non-Honeywell battery may result in damage not covered by the warranty.




There is a danger of explosion if the batteries are incorrectly replaced. Replace the batteries with only the same or equivalent type recommended by the manufacturer. Dispose of used batteries according to the recycle program for batteries as directed by the governing agency for the country where the batteries are to be discarded.




Sliding the Apple Device into the Sled

1. Remove the front cap and slide your iPad mini into the sled.

Note: Be careful that the connectors are not accidentally damaged.




2. Replace the front cap by tightening the two attached TORX (T6) screws. Be certain not to over tighten the screws.



Charging Using the Power Supply Adapter


Note: Use the power supply adapter that came with the Captuvo SL62 iPad mini sled to charge the iOS device and the sled simultaneously.

Note: Make sure that the connector is positioned correctly in relation to the port and is securely inserted into the sled. Dropping the sled with the connector plugged into the device could cause damage to the connector.



Charging using USB to PC

Note: Updates to sled firmware and plugins can only be made using the USB to PC cable. When the iOS device is in the sled and it is connected to a PC/laptop, only the sled charges. The iOS device cannot be charged or updated via USB.




LED Indicators

Color	Indication
Blink Red	Sled's battery power is low (8% and below); needs charging.
Blink Green	Sled's battery is charging.
Solid Green	Sled's battery is fully charged.

Demo Apps


To test scanning a bar code, download the Honeywell Price Check application from the Apple App StoreSM. This application is for demonstration purposes only and does not process any data.



Application Software


The sleds require special application software. Please refer to www.honeywellaidc.com/iosdeveloper for information regarding software.

Reading Magnetic Stripe Cards




Installing Hand Strap

1. Hook the hand strap onto the metal pin.
2. Slide the opposite end of the hand strap through the slot at the other end of the sled.
3. Fold the strap and press the hook and loop pieces together to secure.



Installing Shoulder Strap

1. Slide the adapter through the slot at the bottom end of the sled and press the hook and loop pieces together to secure.
2. Clip the shoulder strap onto the metal D-Ring on the adapter



Operating Temperature

The maximum operating temperature range for the sleds is 0°C to 35°C (32°F to 95°F).

Technical Assistance

Contact information for technical support, product service, and repair can be found at www.honeywellaidc.com.

Limited Warranty

Refer to www.honeywellaidc.com/warranty_information for your product's warranty information.

Patents

For patent information, refer to www.hsmpats.

Disclaimer

Honeywell International Inc. (“HII”) reserves the right to make changes in specifications and other information contained in this document without prior notice, and the reader should in all cases consult HII to determine whether any such changes have been made. The information in this publication does not represent a commitment on the part of HII.

HII shall not be liable for technical or editorial errors or omissions contained herein; nor for incidental or consequential damages resulting from the furnishing, performance, or use of this material.

This document contains proprietary information that is protected by copyright. All rights are reserved. No part of this document may be photocopied, reproduced, or translated into another language without the prior written consent of HII.

© 2014 Honeywell International Inc. All rights reserved.

Web Address: www.honeywellaidc.com

Apple and iPad mini are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

“Made for iPad” means that an electronic accessory has been designed to connect specifically to iPad, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPad may affect wireless performance.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>